





ANI 0016 A Annunciator module



The module, with 16 red and 16 yellow LEDs, can display the status of 16 individually programmable detection points.

System Overview



Functions

The annunciator module has 16 red and 16 yellow LEDs for displaying the operating states of 16 definable detection points.

The module is inserted in an open module slot and is therefore ready for operation.

Only the detection points to be displayed must still be defined via the programming software [RPS].

Parts Included

Qty.	Components
1	ANI 0016 A Annunciator module
4	Labelling strips

Technical Specifications

Electrical

Input voltage	20 VDC ... 30 VDC (min...max) 5 VDC ± 5%
---------------	---

Max. current consumption

- Standby (all LEDs off) 6 mA (at 24 V DC)
- All LEDs on 26 mA (at 24 V DC)

Mechanics

Display elements	16 red LEDs 16 yellow LEDs
Housing material	ABS plastic, Polyac PA-766 (UL94 V-0)
Housing color	Satin finish, anthracite, RAL 7016
Dimensions	Approx. 127 x 96 x 60 mm (5.0 x 3.8 x 2.4 in.)

Weight

- Without packaging Approx. 206 g (7.3 ounces)
- With packaging Approx. 356 g (12.6 ounces)

Environmental conditions

Permitted operating temperature -5 °C ... 50 °C (23 °F ... 122 °F)

Permitted storage temperature -20 °C ... 60 °C (-4 °F ... 140 °F)

Permitted relative humidity 95%, non-condensing

Protective system compliant with IP 30
IEC 60529

Ordering Information

ANI 0016 A Annunciator module

ANI 0016 A

Europe, Middle East, Africa:
Bosch Security Systems B.V.
P.O. Box 80002
5600 JB Eindhoven, The Netherlands
Phone: +31 40 27 83955
Fax: +31 40 27 86668
emea.securitysystems@bosch.com
www.boschsecurity.com

Americas:
Bosch Security Systems
130 Perinton Parkway
Fairport, New York, 14450, USA
Phone: +1 800 289 0096
Fax: +1 585 223 9180
security.sales@us.bosch.com
www.boschsecurity.us

Asia-Pacific:
Bosch Security Systems Pte Ltd
38C Jalan Pemimpin
Singapore 577180
Phone: +65 6319 3450
Fax: +65 6319 3499
apr.securitysystems@bosch.com
www.boschsecurity.com

Represented by