STOCK • CUSTOMIZED • CUSTOM



WEB: winsted.com • EMAIL: info@winsted.com • TEL: 800.447.2257 • FAX: 800.421.3839



50 YEARS OF INNOVATION

In 2013 Winsted is very proud to celebrate 50 years of innovation. Founded on an unwavering commitment to customer service and innovative product design, we have grown from a simple home-based business in 1963, to an international corporation with offices and employees around the world. Today we see 50 years as just the beginning, we look forward to the next 50 years and beyond.

We credit our success to our employees. The entire Winsted team is committed to customer service and providing control room console and technical furniture solutions designed to improve your operations. Whether it's a one-of-a-kind custom console or a standard console that is in stock and ready to ship, we are at your service.

More than anything we would like to thank our customers, our employees and our business partners who have helped us achieve this great milestone. We couldn't have done it without you.

If you are new to Winsted, I personally invite you to experience our world class products and services.

Sincerely,

Stephen Hoska - CEO

CONTENTS

ENVISION COMMAND CONSOLES The Console of Tomorrow	4-11
PRESTIGE CONSOLE SERIES Flagship Control Room Consoles	12-27
WORK SURFACES Durable and Comfortable Solutions	28-33
CUSTOM SIDE PANEL GRAPHICS Show Your Identity	34-35
E-SOC CONTROL STATION Take Control with E-SOC	36-43
ENCOMPASS-2 Modular Workstations	44-51
M-VIEW Stock and Custom Monitor Walls	52-57
VERTICAL RACKS Pro Series I & II and Table Top	58-64
WARRANTY Winsted's Product Warranty	65
LCD/3 CONSOLES LCD Rack Mount Consoles	66-73
SYSTEM 85/RACK MOUNT ACCESSORIES 19"W Rack Mount Consoles	74-83
CUSTOM WOOD FURNITURE Built to Specifications	84-91
CUSTOM DIVISION Custom Environments	92-101
OPTIONAL ACCESSORIES General Accessories	102-104
INDEX	105











Encompass-2 with M-View





Talon 2



ENVISION COMMAND CONSOLES

Winsted's **NEW** EnVision Command Console is the next-generation console built for today's technology. A progressive new modular design offers the perfect balance of form, function and ergonomics suitable for any control room application large or small.

PRODUCT FEATURES AND HIGHLIGHTS

Multiple Configurations

EnVision comes standard in 42", 60" and 84" widths and can be designed as a single, double or triple tier configuration. Each tier can support single or dual Slat-Wall sections for a track height of 7-1/2" or 15". Combine multiple widths with your choice of corner angles to create the perfect solution.

Multiple Work Surface Options

Choose from four work surface options: Our proprietary Endurance Plus and Comfort Edge work surfaces, as well as Corian® and Marmoleum® are available for all our consoles. We offer durable work surface configurations suitable for all control room environments, no matter how demanding.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to the Slat-Wall and provide smooth pivot and pitch adjustment for optimal viewing angles and ergonomic sight lines.

Slat-Wall Accessories

Put the finishing touches on your console and maximize it's functionality with a wide variety of accessories specifically designed to mount on EnVision's Slat-Wall.

Removable Rear Access Panels

EnVision's support legs feature full-length removable rear access panels to provide quick and easy access to cables for simple installation and reduced maintenance time.

Extra-Deep Rear Cable Tray

Cable management should be convenient and flexible. EnVision Command Consoles come standard with a cable trough that simply hooks onto the Slat-Wall, no tools required. Place the cable trough where you need it and you'll have fast, easy access for installation and maintenance and upgrades. The extra-deep design allows room for power outlets and large cable bundles on integrated lacing loops.

Work Surface Cable Tray

Located where you work the most, the integrated cable tray located behind the work surface keeps your work area clean and organized while protecting and organizing your wires and cables.

Adjustable CPU Holder CPU mount provides easy access to the front and rear of your computer system. The articulating mount extends forward, includes a 90° swivel, and fits CPUs from 13-1/2" to 21-1/2"H by 5-3/8" to 9-3/8"W.

Powder-Coat Paint

EnVision's steel infrastructure is coated with a durable black powder-coat paint that accentuates the work surface and Slat-Wall. The elegant textured finish prevents fingerprints and provides uncompromising durability.

Slat-Wall Mounting System

Constructed of high-quality extruded 6105-T5 aluminum, the Slat-Wall system can be designed as a 7-1/2" or 15" high solution designed to support a variety of monitor mounts and convenient accessories. Multiple mounting positions on each tier means the Slat-Wall can be positioned exactly where you need it.







TAKE COMMAND

EnVision Command Consoles provide the ultimate versatility in control room layouts making them ideal for virtually any imaginable control room application. Because each console is ergonomically designed to ensure appropriate viewing angles and to keep critical functions within arms-length, operators sitting at an **Envision** console are more comfortable and efficient.





TOP-TIER DESIGN

EnVision features a modern, open architecture design without the limitations of predefined corner angles. EnVision is available as a single, double or triple tier modular solution that can be expanded as needs and technology change. In any configuration, your sight lines and viewing angles will be ergonomically correct and your operators will be comfortable and productive.



	PRECONFIGURED ENVISION CONSOLES					
MODEL#	DESCRIPTION	OVERALL DIMENSIONS	COLOR			
B3013	42" WIDE - SINGLE TIER WITH 7-1/2"H SLAT-WALL	40-1/8"H x 42"W x 43-5/8"D (1019 x 1067 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3015	60" WIDE - SINGLE TIER WITH 7-1/2"H SLAT-WALL	40-1/8"H x 60"W x 43-5/8"D (1019 x 1524 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3017	84" WIDE - SINGLE TIER WITH 7-1/2"H SLAT-WALL	40-1/8"H x 84"W x 43-5/8"D (1019 x 2134 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3023	42" WIDE - SINGLE TIER WITH 15"H SLAT-WALL	40-1/8"H x 42"W x 43-5/8"D (1019 x 1067 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3025	60" WIDE - SINGLE TIER WITH 15"H SLAT-WALL	40-1/8"H x 60"W x 43-5/8"D (1019 x 1524 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3027	84" WIDE - SINGLE TIER WITH 15"H SLAT-WALL	40-1/8"H x 84" W x 43-5/8"D (1019 x 2134 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3033	42" WIDE - DOUBLE TIER WITH 7-1/2"H SLAT-WALL	57-1/8"H x 42"W x 43-5/8"D (1451 x 1067 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3035	60" WIDE - DOUBLE TIER WITH 7-1/2"H SLAT-WALL	57-1/8"H x 60"W x 43-5/8"D (1451 x 1524 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3037	84"WIDE - DOUBLE TIER WITH 7-1/2"H SLAT-WALL	57-1/8"H x 84"W x 43-5/8"D (1451 x 2134 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3043	42" WIDE - DOUBLE TIER WITH 15"H SLAT-WALL	57-1/8"H x 42"W x 43-5/8"D (1451 x 1067 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3045	60" WIDE - DOUBLE TIER WITH 15"H SLAT-WALL	57-1/8"H x 60"W x 43-5/8"D (1451 x 1524 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
B3047	84"WIDE - DOUBLE TIER WITH 15"H SLAT-WALL	57-1/8"H x 84"W x 43-5/8"D (1451 x 2134 x 1108mm)	BLACK WITH SILVER SLAT-WALL			
In stock a	In stock and ready to ship with Graphite Nebula laminate work surface with Safeguard edge. Monitor mounts sold separately.					

Three-Position EnVision Console comes complete with six pivot/tilt monitor mounts and three radial credenzas for ample storage.



DUAL-WING ENVISION CONSOLE					
MODEL#	HEIGHT	TH	DEPTH		
B3063	57-1/8" 145" (1451mm) (3683mm)			66" (1676mm)	
COLOR	WORK SURFAC	WORK SURFACE COLOR		SLAT-WALL	
BLACK	MARMOL	DOVE GREY MARMOLEUM SAFEGUARD EDGE		SINGLE & DOUBLE TIER 7-1/2" HIGH	

Dual-Wing EnVision Console features a single-tier center section for open monitor wall viewing. Comes complete with nine pivot/tilt monitor mounts (75x75mm/100x100mm).



ENVISION CORNER CONSOLE						
MODEL#		HEIGHT	WIDTH	ł	DEPTH	
B3064	57-1/8" (1451mm)		135" (3429m	m)	93" (2362mm)	
COLOR		WORK SURFACE COLOR		SLAT-WALL		
BLACK		SANDS ⁻ MARMO SAFEGUAF	LEUM	[OOUBLE-TIER 15" HIGH	

EnVision Corner Console comes complete with two 4U Rack Cabinets, three Task Lights, six Articulating Monitor Arms and eight pivot/tilt monitor mounts.



CONVEX ENVISION CONSOLE					
MODEL#	HEIGHT	WIDTH	ł	DEPTH	
B3061	40-1/8" (1019mm)	140" (3556mm)		52" (1321mm)	
COLOR	WORK SURFA	ACE COLOR		SLAT-WALL	
BLACK	GLAC MARMO SAFEGUAF	LEUM	SINGLE-TIER 7-1/2" HIGH		

Convex design provides extra work space for three operators. Comes complete with six pivot/tilt monitor mounts.













PIVOT/TILT MONITOR MOUNT

ı	MODEL#	MOUNTING PATTERN COMPATIBILITY	WEIGHT
	30171	75 x 75mm & 100 x 100mm	4 LBS.

Monitor mount features adjustable tension at pivot points for customized control, suitable for touchscreen use. Designed for 10" - 30" monitors and has a weight capacity of 40 pounds. For use on vertical or sloped Slat-Wall. Silver finish.

ARTICULATING PIVOT/TILT MONITOR MOUNT

MODEL#	DESCRIPTION	WEIGHT
30174	Articulating arm monitor mount	6 LBS.
30176	Height-adjustable articulating monitor mount	11 LBS.

Articulating arm monitor mounts feature adjustable tension at pivot points for customized control suitable for touchscreen use. Designed for $10^{\prime\prime}$ - $30^{\prime\prime}$ monitors and are compatible with 75×75 mm and 100×100 mm VESA mounting patterns. 30174 has a weight capacity of 40 pounds. Arm extends 15.9 inches. 30176 has a weight capacity of 5-25 pounds. Arm extends 17.4 inches. Both for use on vertical Slat-Wall only. Silver finish.

UNIVERSAL LARGE MONITOR MOUNT

MODEL#	OVERALL DIMENSIONS	COLOR	WEIGHT
B3055	16-1/2"H x 30-3/4"W x 2"D (419 x 781 x 50 mm)	BLACK	14 LBS.

Heavy-Duty construction provides a low-profile mounting solution for 32''-52'' monitors. Mount allows $0-12^\circ$ of tilt and has a weight capacity of 125 pounds.

4U ENVISION RACK MOUNT CABINET

	40 ENTISION MACK MOON! CASINE!	
MODEL#	DIMENSIONS	WEIGHT
30031	9-1/8"H x 21-1/16"W x 6"D (232 x 535 x 152mm)	5 LBS.

4U rack cabinet easily mounts to the sloped or vertical Slat-Wall tiers providing convenient access to rack mounted equipment. Black textured powder coat finish.

CONTEMPORARY LED TASK LIGHT

MODEL#	DESCRIPTION	WEIGHT
W5655	LED task light for vertical Slat-Wall	4 LBS.
B3054	LED task light for sloped Slat-Wall	4 LBS.

Optional Task Light features a three-bar design for ultimate reach and flexibility. The ultra-adjustable LED head can spin in its socket, sweep side to side, and rotate around the end of the arm to point in any direction. Dimming is easily controlled by a touchstrip located near the LED head for easy access.

POWER OUTLET WITH CIRCUT BREAKER					
MODEL#	DESCRIPTION	AMP	Outlet Length	WEIGHT	
30701	Six-outlet	15	12-1/4" (311mm)	3 LBS.	
Lighted On/Off switch. Mounts inside rear lift-off cable tray. Features a 15 foot cord.					



	PULLOUT, SWIVEL CPU MOUNT			
MODEL#	DESCRIPTION	WEIGHT		
46260	Extends forward with 90° swivel	15 LBS.		
Fits CPU's from 13-1/2" to 21-1/2" High (343 to 546mm) by 5-3/8" to 9-3/8" Wide				




	PAPER TRAY						
MODEL#	DIMENSIONS	WEIGHT					
58160	1-3/4"H x 15"W x 9-1/2"D (44 x 381 x 241mm)	2 LBS.					
Maximize your work surface with this hanging paper tray. For use on vertical Slat-Wall only.							



	PHONE CADDY					
MODEL#	DIMENSIONS	WEIGHT				
58161	1-3/4"H x 9"W x 10-3/4"D (44 x 229 x 273mm)	2 LBS.				
Use this convenient caddy to keep your phone within easy reach. For use on vertical Slat-Wall only.						



		VERTICAL PAPER ORGANIZER							
	MODEL#	DIMENSIONS	WEIGHT						
ı	58162	8"H x 6"W x 10-1/4"D (203 x 152 x 260mm)	3 LBS.						
	Keep papers organized and out of the way with this stylish organizer. For use on vertical Slat-Wall only.								



PRESTIGE SERIES CONSOLES **PRESTIGE SERIES CONSOLES** Prestige Consoles are ergonomic, modular and adaptable, giving users flexibility in any control room environment. Prestige consoles feature the Versa-Trak monitor support system, which offers the ultimate in adjustability. Monitor viewing angles and sight lines are easily optimized based on personal needs. Prestige consoles are beautiful with a feature set second to none.

SIGHT LINE

Our **Flagship Console** is truly one-of-kind with a world class feature set, which is complimented by an impressive appearance making it ideal for all control room applications. Sight-Line consoles are modular, reconfigurable and expandable to meet your changing needs, and can be customized in numerous ways to create a unique solution.



SLAT WALL SERIES

Our **Slat-Wall Console** is built on the same foundation as our award winning Sight-Line console. The same world-class feature set is incorporated with slat-wall to provide added versatility and an element of privacy. The slat-wall is 15" tall and constructed of high quality extruded 6105-T5 aluminum. The black anodized finish is attractive and smooth to the touch. A variety of monitor mounts and accessories are available to mount on the slat-wall.



>INSIGHT

Our **Compact Console** features a high-density profile, designed for a high performance world. Insight's overall depth of 32" saves valuable space and maximizes control room functionality. Our engineers reduced the overall depth of the chase and work surface on the popular Sight-Line console to create a compact console solution. The result is an efficient footprint that meets ergonomic standards and provides ample desktop workspace.





Our **Sit/Stand Console** offers three programmable height settings for ultimate versatility and optimum comfort in any control room setting. This completely redesigned sit/stand console includes electric-lift legs, which enable operators to quickly and easily adjust the work surface height from 28-1/2" to 44-1/2" with the push of a button. Two-, three- and four-leg systems are available with load capacities of 300, 450 and 600 lbs. respectively.






VERSA-TRAK MONITOR MOUNTING SYSTEM

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.



INTEGRATED DATA/POWER

Keep your electronics up and running. Sight-Line and Insight consoles feature openings for universal data mounting plates and duplex power outlets, conveniently located at the back of the work surface where they are within easy reach to connect electronics.



EASY-ACCESS CABLE MANAGEMENT

Enhance reliability while protecting and managing your cables. All Prestige consoles feature convenient cable management solutions that are easily accessible. A large drop-down interior tray for additional cable management is also available as an option.



MULTI-PURPOSE DOORS

Double-panel front and rear doors are extra sturdy to support a CPU shelf or file/storage bin for convenient swing-out access. Prevents reaching and working in confined storage spaces.

PRODUCT FEATURES AND HIGHLIGHTS

Three Base Console Widths

Base consoles are available in three widths: 24", 48", and 72". Features the Insta-Lock fastening system for simple construction. Black powder-coat finish.

Corner Fillers

Corner fillers help fit consoles into rooms, and deliver a convenient, ergonomic wrap-around operator console. Choose from 15°, 45°, and 90° concave corner options or 15° and 45° convex corner options.

Easy-Access Cable Management

Enhance reliability while protecting and managing your cables. All Prestige consoles feature convenient cable management solutions that are easily accessible. A large drop-down interior tray is also available as an option.

Multi-Purpose Locking Doors

Double-panel doors are extra-sturdy to support a CPU shelf or file/storage bin for convenient swing-out access.

Anti-Tip Extension

Extensions stabilize the console on all in-line console configurations. Anti-tip extensions come standard with all end frames. Black powder-coat finish.

Data/Power Access

Openings for a universal data mounting plate (RJ-45, HDMI, CAT-5, CAT-5E, CAT-6, BNC, and S-Video) and/or duplex power are conveniently located at the back of the work surface on Sight-Line and Insight consoles.

Multiple Work Surface Options

Choose from four work surface options. Our proprietary Endurance Plus and Comfort Edge work surfaces, as well as Corian® and Marmoleum® options are available for all our consoles.

Slat-Wall Mounting System

Constructed of high quality extruded 6105-T5 aluminium, the Slat-Wall system is 15" high and designed to support a variety of monitor mounts and accessories.

Decorative TruForm End Panels

Complete the look of your console with our popular TruForm end panels. TruForm panels are available in a wide variety of colors. End panels can also be custom ordered in laminate or solid-surface materials.

Rack Mount Turret

Optional Sight-Line rack mount turrets can be positioned to meet your needs. Available in either 7" (4U), 10-1/2" (6U), or 19-1/4" (11U) by 19"W EIA rack space. Features a vented top. Decorative wood trim is available. 10-1/2" (6U) turret is available for Insight.

Versa-Trak Monitor Mounting System

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to a support post, and provides smooth pivot and pitch adjustment for optimal viewing of flat panel monitors.


Four Monitor Mount Post Heights

Available in four different heights: 15", 28-1/2", 42" and 60" so you can create a monitor array suitable for any application.

Optional M-View Monitor Wall

Sight-Line and Insight consoles work in tandem with our M-View monitor wall system to support large plasmas and/or LCD monitors over rack mount turrets.









CUSTOMIZED SIGHT-LINE

IMPROVE YOUR VIEW

Versa-Trak monitor mounting system, which offers the ultimate in adjustability. The Versa-Trak system allows users to optimize and easily modify sight lines and viewing angles based on personal needs. If you are looking for unparalleled beauty and function designed specifically for your needs, you have found the solution. Whether you need a single workstation or a complete control room, Sight-Line consoles are perfect for all installations.





SINGLE OPERATOR SLAT-WALL

SLAT-WALL CONSOLES

Our new Prestige **Slat-Wall** console takes flexibility to a new level. With several monitor mounts to choose from, there are virtually an infinite number of ways to configure and adjust your monitors. Eliminate clutter and add space with a selection of **Slat-Wall** accessories designed to keep you organized. **Slat-Wall** panels also enhance personal workspace by adding an element of privacy.





KEEP EVERYTHING "IN-SIGHT"

Insight consoles incorporate all the features found in our popular Sight-Line console and then packages them into a compact profile that saves space and maximizes the number of operators able to staff the control room. If you are challenged for floor space, but want a fully functional console packed with features, **Insight** is the solution.



SINGLE OPERATOR ASCEND

of movement and easily allows operators to alternate between sitting and standing at the push of a button.



SINGLE-OPERATOR SIGHT-LINE CONSOLE						
MODEL#	ŀ	HEIGHT	WIDTH		DEPTH	
W5721	28-1/2" (724mm)		78" (1981mm)		43-3/4" (1111mm)	
COLOR		SIDE PANEL		WORK SURFACE		
BLACK		SHARK GREY TRUFORM		SHARK GRAY ENDURANCE PLUS		
72" Sight-Line console comes complete with four monitor mounts.						



SIGHT-LINE	COF	RNER CO	NSOLE W	/ITH	CREDENZA	
MODEL#		IEIGHT	WIDTH		DEPTH	
W5701	28-1/2" (724mm)		167-1/2" (4255mm)		80-1/2" (2045mm)	
COLOR		SIDE PANEL		WORK SURFACE		
BLACK					ERICAN NATURAL IDURANCE PLUS	
Corner design provides ample space for three operators. Console includes radial credenza and three dual-mount LCD poles.						



SLAT-WALL CONSOLE WITH TRUFORM DOORS							
MODEL#	F	HEIGHT	WIDTH		DEPTH		
W5830	41-1/8" (1045mm)		78" (1981mm)		43-3/4" (1111mm)		
COLOR		SIDE PANEL		W	ORK SURFACE		
BLACK		CHERRY TRUFORM		CHERRY ENDURANCE PLUS			
This 72" console is perfect for one operator. Comes complete with three monitor mounts and TruForm doors to match sides and work surface.							



<u>SLAT-WALL</u> CORNER CONSOLE						
MODEL#	HEIGHT WIDTH DEPTH					
W5831	41-1/8" (1045mm)		104-3/8" (2651mm)		57-1/4" (1454mm)	
COLOR		SIDE PANEL		WORK SURFACE		
BLACK		CROSSFIRE JAVA TRUFORM		FIBERS CASHMERE ENDURANCE PLUS		
Corner design wraps around the operator for maximum comfort. Console includes five monitor mounts.						

CURVED <u>INSIGHT</u> CONSOLE							
MODEL#	ŀ	HEIGHT WIDTH			DEPTH		
W6407	28-1/2" (724mm)		95" (2413mm)		39-3/4"" (1010mm)		
COLOR		SIDE PANEL		WORK SURFACE			
BLACK		FUSION MAPLE TRUFORM		WESTERN TAN COMFORT EDGE			
Two 15° corners form an ergonomic wrap-around configuration.							



DUAL-OPERATOR <u>INSIGHT</u> CONSOLE							
MODEL#	ŀ	HEIGHT	WIDTH		DEPTH		
W6408	28-1/2" (724mm)		104-7/8" (2664mm)		32-1/2" (826mm)		
COLOR		SIDE PANEL		WORK SURFACE			
BLACK		FUSION MAPLE TRUFORM EN			AMBER PEAR ENDURANCE PLUS		
Two 48" chases create a compact console for two operators.							



SINGLE-OPERATOR <u>ASCEND</u> CONSOLE						
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH	
W5737	(7	28-1/2" '24mm) - to - 14-1/2" 030mm)	82" (2083mm)		40-5/8" (1032mm)	
COLOR		SIDE PANEL		WORK SURFACE		
BLACK		ALMOND CHERRY TRUFORM		ALMOND CHERRY ENDURANCE PLUS		
Sitting or standing, this adjustable console will keep your operators comfortable all day.						



ASCE	<u>ND</u> C	ONSOLE	WITH PE	ENIN	SULA
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH
W5738	4	35" 889mm) - to - 14-1/2" 030mm)	188-1/8 (4778m)		105-7/8" (2689mm)
COLOR		SIDE P	PANEL	W	ORK SURFACE
BLACK		AUBUR TRUF		AUBURN PEAR ENDURANCE PLUS	
Dual-operator Ascend console features a center peninsula with					

extra storage space and three rack mount turrets.



AXIOM MONITOR MOUNTS: (1.5" DIA. MOUNTING POSTS)

W6471

15" Post - Single Monitor Post Mount, Vertical



W6472 28-1/2" Post - Dual Monitor



W6473

42" Post - Triple Monitor Post Mount, Vertical 15" Post - Single Monitor Articulating Arm




W6491



W6492

28-1/2" Post - Single Monitor Articulating Arm



W6493

28-1/2" Post - Dual Monitor

W6496 15" Post - Dual Monitor Mount **Dual Articulating Arms**



W6497

28" Post - Quad Monitor Mount Two Dual Articulating Arms



A custom monitor wall can be integrated to support your larger monitors. Contact

Winsted for details.



PRESTIGE MONITOR MOUNTS: (1.9" DIA. MOUNTING POSTS)

W5671

15" Post - Single Monitor Post Mount, Vertical



W5691

15" Post with 15" Extension Arm



W5672

28-1/2" Post - Dual Monitor Post Mount, Vertical



W5692

28-1/2" Post with 15" Extension Arm



W5673

42" Post - Triple Monitor Post Mount, Vertical



W5693

42" Post with Two 15" Extension Arms



W5696

15" Post with Dual 15" Extension Arms



W5697

15" Post with Height Adjustable Arm



W5690

Dual-Post Large Monitor Mount (Supports 42" - 63" Monitors)



W5698

28-1/2" Post with VESA Mount (Supports 26" - 45" Displays)



SLAT-WALL MONITOR MOUNTS

58171 Slat-Wall Monitor Mount

58174Dual-Hinge Slat-Wall Monitor Mount









SLAT-WALL ACCESSORIES


	PAPER TRAY				
MODEL#	DIMENSIONS	WEIGHT			
58160	1-3/4"H x 15"W x 9-1/2"D (44 x 381 x 241mm)	2 LBS.			
Maximize your work surface with this hanging paper tray.					



	PHONE CADDY	
MODEL#	DIMENSIONS	WEIGHT
58161	1-3/4"H x 9"W x 10-3/4"D (44 x 229 x 273mm)	2 LBS.
Use this caddy to keep your phone within easy reach.		




	VERTICAL PAPER ORGANIZER	
MODEL#	DIMENSIONS	WEIGHT
58162	8"H x 6"W x 10-1/4"D (203 x 152 x 260mm)	3 LBS.
Keep papers and folders organized and out of the way with this stylish organizer.		





W5630 (Left) • W5631 (Right) W6430 (Left) • W6431 (Right)




RACK RAILS		
MODEL#	DESCRIPTION	WEIGHT
56165	19-1/4" (11U) tapped rack rails (1 Pair)	5 LBS.
Easily mounts in the front and/or rear of the 24" wide chase.		
W5642	19-1/4" (11U) tapped rack rails (2 Pair) with brackets	9 LBS.
Rack mount kit for 48" and 72" chase ends.		

LED TASK LIGHTS		
MODEL#	DESCRIPTION	WEIGHT
W5654	Versa-Trak mounted task light	4 LBS.
W5655	LED task light for vertical Slat-Wall 4 LBS.	
Optional Task Light features a three-bar design for ultimate reach and flexibility. The ultra-adjustable LED head can spin in its socket, sweep side to side, and rotate around the end of the arm to point in any direction. Dimming is easily controlled by a touchstrip located near the LED head for easy access.		
56679	LED light with magnetic base and 18" flexible neck	1 LB.
10679	LED light with VESA mount and 18" flexible neck	1 LB.
Features a 6-foot cord and allows users to switch between white or red lights.		

DOOR MOUNT FILE STORAGE BIN & CPU SHELF			
MODEL#	DESCRIPTION	WEIGHT	
56088	File storage bin, door mounted	6 LBS.	
56087	CPU shelf, door mounted	6 LBS.	
Provides convenient swing-out access to files and/or CPU. *Must be used with 56302 door, or the wood doors. Doors sold separately.			

	RACK MOUNT TURRETS	
MODEL#	DESCRIPTION	WEIGHT
64032	10-1/2" (6U) Rack Turret,12° Slope (Insight Only)	20 LBS.
56030	7" (4U) Rack Turret, 45° Slope	16 LBS.
W5660	7" (4U) Rack Turret with wood trim, 45° Slope	18 LBS.
56032	10-1/2" (6U) Rack Turret,12° Slope	23 LBS.
W5661	10-1/2" (6U) Rack Turret with wood trim, 12° Slope	25 LBS.
56036	19-1/4" (11U) Rack Turret, 12° Slope	29 LBS.
Rack mount turrets mount easily to the chase and keep electronics within reach.		
56981	27" ABS chase filler (Not Shown)	1 LBS.
Use with rack turrets to enclose unused chase openings. Can be cut to size.		







WOOD PRESTIGE CONSOLE DOORS			
MODEL#	DESCRIPTION	WEIGHT	
56569	Locking TruForm door left-hinged	10 LBS.	
56570	Locking TruForm door right-hinged	10 LBS.	
56568	Locking Marmoleum door left-hinged	10 LBS.	
56566	Locking Marmoleum door right-hinged	10 LBS.	
Coordinate your console doors with your side panels and/or work surface. Choose from a wide variety of colors.			



TELEPHONE TRAY			
MODEL#	OVERALL DIMENSIONS	WEIGHT	
56250	13"H x 8-1/2"W x 6-3/8"D (330 x 216 x 162mm)	4 LBS.	
Mounts at the back of the work surface for quick and easy access to a telephone.			
W6469	13"H x 8-1/2"W x 6-3/8"D (330 x 216 x 162mm)	14 LBS.	
Adjustable phone tray designed for Versa-Trak.			



ELECTRICAL		
MODEL#	DESCRIPTION	WEIGHT
56264	Single Box with mounting bracket	4 LBS.
56265	Dual Box with mounting bracket	5 LBS.
W5650	Six-Outlet Strip with mounting bracket 3 LBS.	
56264 & W5650 brackets mount to intermediate and/or end frames. 56265 mounts to intermediate frame only.		
64264	Single Box with mounting bracket (Insight Only)	3 LBS.
51710	Six-Outlet Strip (Insight Only)	2 LBS.
Mounts to Insight intermediate and/or end frames.		



SIGHT-LINE CPU HOLDER			
MODEL#	OVERALL DIMENSIONS	WEIGHT	
56220	27-1/2"H x 12-1/2"W x 26"D (699 x 318 x 660mm)	45 LBS.	
CPU Holder features an adjustable back and shelf. Inside dimensions are: 24-1/4"H x 9-3/8"W x 25"D (616 x 238 x 635mm). Can be positioned in-line or at the			

end of the console. Not compatible with Insight.

	01
56220	

CONSOLE PARTITION		
MODEL#	OVERALL DIMENSIONS	WEIGHT
W5900	18"H x 2"W x 26-1/2"D (457 x 51 x 673mm) - SIGHT-LINE	12 LBS.
W6500	18"H x 2"W x 21-1/2"D (457 x 51 x 546mm) - INSIGHT	10 LBS.



This stylish cloth partition helps create a private work space. The panel is affixed to a pole that is mounted on the Versa-Trak so it can be positioned where needed and easily moved. Constructed with a low density fiberboard core wrapped with a steel outer frame.











THREE DRAWER FILE CABINETS - BLACK

MODEL#	DIMENSIONS	WEIGHT		
10767	27"H x 15"W x 20-7/8"D (686 x 381 x 530mm) - SIGHT-LINE	73 LBS.		
10765	27"H x 15"W x 17-1/2"D (686 x 381 x 446mm) - INSIGHT	70 LBS.		
Compact cabinet fits neatly under a work surface for storage of files in the bottom				

Compact cabinet fits neatly under a work surface for storage of files in the bottom drawer. Middle drawer is perfect for items that are 4" high and top drawer works well for paper, pens and pencils. Plastic sliding pencil tray comes with cabinet.

10764 12"H x 14-3/4"W x 17"D (305 x 375 x 432mm) 14 LBS.

Converts the 10767 and 10765 from a three drawer cabinet to a two drawer file cabinet. 10764 replaces the two box drawers that come standard with 10767 & 10765.

PRESTIGE UTILITY SHELF MODEL# DIMENSTIONS WEIGHT W5780 15"H x 22"W x 18"D (381 x 559 x 457mm) 20 LBS. W5781 28-1/2"H x 32"W x 16"D (724 x 813 x 406mm) 25 LBS.

Add storage space and keep your work space clean and organized with this functional utility shelf. Shelf is affixed to poles that are mounted on the Versa-Trak so it can be positioned where needed and easily moved. W5780 features steel construction with black power coat paint. W5781 features laminated wood construction.

PRESTIGE LIFT-OFF PANEL

MODEL#	DESCRIPTION	WEIGHT
64100	Lift-off panel	9 LBS.

Lift off panel mounts to the front or the rear of any Prestige console and features a static latch for closure and easy removal.

INTERNAL CABLE TRAY				
MODEL#	DESCRIPTION	WEIGHT		
64072	Internal cable tray for 24"W base console	5 LBS.		
64074	Internal cable tray for 48"W base console	9 LBS.		
64076	Internal cable tray for 72"W base console	12 LBS.		

Internal cable tray offers a large surface area for mounting cables and routing wires. Features four spring hinges for easy installation and repositioning. Works with all Prestige consoles. Can be mounted horizontally, front-to-back in Insight. Must be mounted vertically or at an angle in Sight-Line, Slat-Wall and Ascend. Can not be used with optional rack rails.

17-1/2" (10U) PRESTIGE RACK CABINET


MODEL#	DIMENSIONS	WEIGHT
56029	19-3/16"H x 23-3/4"W x 12"D (487 x 603 x 305mm)	40 LBS.


Welded rack mounts directly to the front frame of any Prestige console. Features spring pins for easy installation and repositioning, vented sides for cooling and all steel construction for durability. Black textured powder-coat finish.



SIGHT-LINE


SLAT-WALL






INSIGHT

ASCEND











COMFORT EDGE: LAMINATE COLOR OPTIONS



COMFORT EDGE: URETHANE COLOR OPTIONS





CORIAN: COLOR OPTIONS



NEW CUSTOM GRAPHIC END PANELS

ROUTERED PANEL WITH LOGO



SOLID PANEL WITH LOGO



Our custom graphics are printed with the highest quality inks, which produce very bright and vibrant colors that stand the test of time. The graphics are printed on a durable, premium-grade large format digital film with a UV protectant laminate.



CUSTOM GRAPHIC END PANEL SAMPLES

SHOW YOUR IDENTITY AND ADD PERSONALITY TO YOUR CONTROL ROOM!!















PRODUCT FEATURES AND HIGHLIGHTS

Endurance Plus Work Surface

E-SOC comes standard with our proprietary Endurance Plus Work Surface. Comfort Edge, Corian® and Marmoleum® work surface options are also available.

Versa-Trak Monitor Mounting System

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.

Three Monitor Mount Post Heights

Available in three different heights: 15", 28-1/2", and 42" so you can create a monitor array suitable for any application.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to a support post, and provides smooth pivot and pitch adjustment for optimal viewing of flat panel monitors.

Hinged Corner

E-SOC's innovative hinged corner offers the ultimate in flexibility. With no pre-defined corner angles, E-SOC can be designed to fit in your unique space.

Vented Modesty Panel

Decorative, vented modesty panel features convenient lift-off panels for easy access to cables, electronics and CPUs. Integrated cable management with lacing loops enhances the feature set of the E-SOC.

Easy-Access Cable Management

Enhance reliability while protecting and managing your cables. All E-SOC Control Stations feature a cable channel with lacing loops incorporated into the modesty panel and a large, drop-down hinged cable tray that spans the length of the modesty panel.

Rack Mount Cabinet

Winsted offers a 19" EIA Rack Mount Cabinet to compliment your Control Station. A wide range of shelves and accessories are available to build the perfect rack solution.

CPU Mount


CPU mount provides easy access to the front and rear of your computer system. The articulating mount extends forward, includes a 90° swivel, and fits CPUs from 13-1/2" to 21-1/2"H by 5-3/8" to 9-3/8"W.

Optional Task Light

Optional Task Light features a three-bar design for ultimate reach and flexibility. The ultra-adjustable LED head can spin in its socket, sweep side to side, and rotate around the end of the arm to point in any direction. A brightness touchstrip is located near the LED head for easy access.

Powder-Coat Paint

The E-SOC infrastructure is coated with a durable black powder-coat paint that accentuates the work surface. Textured finish prevents fingerprints and lasts for years.







CONTROL ROOM FUSION

Part workstation and part console, **E-SOC** Control Station is a ground-breaking fusion of our workstations and our award winning consoles. **E-SOC** offers the flexibility, the feature set and the price point to suit any control room installation small or large.





SITUATIONAL AWARENESS

Ergonomic improvements result in greater comfort and improve the performance of operators monitoring complex systems. **E-SOC** combines a comprehensive set of features to keep your operators aware of what's going on at all times.









48" E-SOC CONTROL STATION MODEL# HEIGHT WIDTH DEPTH B4312 28-7/8" (733mm) 48" (28-7/8" (733mm) BASE COLOR SIDE PANEL WORK SURFACE BLACK CONCRETE TRUFORM CONCRETE ENDURANCE PLUS

48" wide E-SOC Control Station features the Versa-Trak monitor mounting system and comes complete with two W6491 articulating monitor mounts (See page 43). To order this Control Station without the monitor mounts, please use model number B4302.

60" E-SOC CONTROL STATION							
MODEL#	ŀ	HEIGHT	WIDTH	-	DEPTH		
B4314	28-7/8" (733mm)		60" (1524mm)		28-7/8" (733mm)		
BASE COLOR	1	SIDE PANEL		WEIGHT			
BLACK		CONCRETE TRUFORM		CONCRETE ENDURANCE PLUS			

60" wide E-SOC Control Station features the Versa-Trak monitor mounting system and comes complete with three W6491 articulating monitor mounts (See page 43). To order this Control Station without the monitor mounts, please use model number B4304.

72" E-SOC CONTROL STATION							
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH		
B4316		28-7/8" 72" (33mm) (1829mm)		m)	28-7/8" (733mm)		
BASE COLOR	~	SIDE PANEL		WEIGHT			
BLACK		CONCRETE TRUFORM		CONCRETE ENDURANCE PLUS			
72" wide E COC	Contr	al Chahian fo			Tuali manitan		

72" wide E-SOC Control Station features the Versa-Trak monitor mounting system and comes complete with four W6491 articulating monitor mounts (See page 43). To order this Control Station without the monitor mounts, please use model number B4306.

60" E-SOC CONTROL STATION WITH RACK							
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH		
B4324		28-7/8" '33mm)	60" (1524mm)		28-7/8" (733mm)		
BASE COLOR	~	SIDE PANEL		WEIGHT			
BLACK		CONCRETE TRUFORM		CONCRETE ENDURANCE PLUS			

60" wide E-SOC Control Station with 19-1/4" (11U) equipment rack features the Versa-Trak monitor mounting system and comes complete with three W6491 articulating monitor mounts (See page 43).

U-SHAPED E-SOC CONTROL STATION MODEL# HEIGHT WIDTH DEPTH B4353 28-7/8" (733mm) 113-1/8" (78-7/16" (1992mm) BASE COLOR SIDE PANEL WORK SURFACE BLACK AMERICAN NATURAL TRUFORM EUCALYPTUS MARMOLEUM

This U-shaped Control Station consists of two 60" sections, one 72" section and two 90 degree corners. Comes complete with Versa-Trak monitor mounting system and ten W6491 articulating monitor mounts (See page 43).



CORNER E-SOC CONTROL STATION							
MODEL#	H	HEIGHT	WIDTH	ł	DEPTH		
B4350		28-7/8" 140-1/4" 733mm) (3562mm			60-1/2" (1537mm)		
BASE COLOR	SE COLOR		SIDE PANEL		ORK SURFACE		
BLACK		SHARI TRUF	C GREY FORM	LAVA MARMOLEUM			

This Corner Control Station consists of three 48" sections and two 45 degree corners. Comes complete with Versa-Trak monitor mounting system and six W6471 pivot/tilt monitor mounts (See page 43).



L-SHAPED E-SOC CONTROL STATION							
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH		
B4351	28-7/8" (733mm)		92-3/16" (2342mm)		92-3/16" (2342mm)		
BASE COLOR	}	SIDE PANEL		WORK SURFACE			
BLACK		BOSTON TRUF		RUST MARMOLEUM			

This L-shaped Control Station consists of two 72" sections, and one 90 degree corner. Comes complete with Versa-Trak monitor mounting system and six W6491 articulating monitor mounts (See page 43).



CURVED E-SOC CONTROL STATION						
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH	
B4352		28-7/8" '33mm)	234-11/16" (5961mm)		54-3/4" (1391mm)	
BASE COLOR	~	SIDE PANEL		WORK SURFACE		
BLACK		SHARI TRUF	GREY ORM	COBALT OXIDE MARMOLEUM		

This Curved Control Station consists of five 48" sections, and four 10 degree corners. Comes complete with Versa-Trak monitor mounting system and ten W6471 pivot/tilt monitor mounts (See page 43).













WELDED 19-1/4" (11U) RACK WITH PLEXI DOOR

MODEL#	DIMENSIONS	WEIGHT
43009	22-7/16"H x 22"W x 28"D (570 x 559 x 711mm)	44 LBS.

Welded 19-1/4" (11U) equipment rack comes complete with front and rear tapped rack rails, removable back panel, leg levelers and plexiglas front door. Side panels are vented and the removable back panel allows for two 1-3/4" openings at the top and bottom for cooling and cabling.

12-3/4"WIDE PENCIL DRAWER - BLACK

MODEL#	DIMENSIONS	WEIGHT
55233	2-3/8"H x 12-3/4"W x 18"D (60 x 324 x 457mm)	4 LBS.

Mounts to the under-side of any work shelf. This drawer fits between console shelf brackets. Pulls out 12-3/4" (324mm). Black formed plastic.

PULLOUT, SWIVEL CPU MOUNT

MODEL#	DESCRIPTION	WEIGHT
46260	Extends forward with 90° swivel	15 LBS.
40200	Exterios forward with 90° swiver	13 L

Fits CPU's from 13-1/2" to 21-1/2" High (343 to 546mm) by 5-3/8" to 9-3/8" Wide (137 to 238mm). Black finish.

ADJUSTABLE KEYBOARD SHELF

MODEL#	DIMENSIONS	WEIGHT
47084	24"W x 10"D (610 x 254mm)	11 LBS.

Adjustable Pullout Keyboard Shelf. Features 20° tilt and 9" (229mm) height adjustment. Shelf swivels 180° and stores under the work surface. Padded front wrist support. Mounts to the underside of any flat desk top. Black.

LED TASK LIGHTS

MODEL#	MODEL# DESCRIPTION				
W5654	Versa-Trak mounted task light				
Optional Task Light features a three-bar design for ultimate reach and flexibility. The ultra-adjustable LED head can spin in its socket, sweep side to side, and rotate around the end of the arm to point in any direction. Dimming is easily controlled by a touchstrip located near the LED head for easy access.					
56679	LED light with magnetic base and 18" flexible neck	1 LB.			

10679 LED light with VESA mount and 18" flexible neck 1 LB.

Features a 6-foot cord and allows users to switch between white or red lights.

AXIOM MONITOR MOUNTS: (1.5" DIA. MOUNTING POSTS)

W6471

15" Post - Single Monitor Post Mount, Vertical



W6472

28-1/2" Post - Dual Monitor Post Mount, Vertical



W6473 42" Post - Triple Monitor Post Mount, Vertical



W6491

15" Post - Single Monitor Articulating Arm



W6492

28-1/2" Post - Single Monitor Articulating Arm



W6493

28-1/2" Post - Dual Monitor Two Articulating Arms



W6496

15" Post - Dual Monitor Mount Dual Articulating Arms



W6497 28" Post - Quad Monitor Mount Two Dual Articulating Arms



W6469 Adjustable Phone Tray Mounts to Versa-Trak



PRESTIGE MONITOR MOUNTS: (1.9" DIA. MOUNTING POSTS)

W5671

15" Post - Single Monitor Post Mount, Vertical



W5672

28-1/2" Post - Dual Monitor Post Mount, Vertical



W5673

42" Post - Triple Monitor Post Mount, Vertical



W5696

15" Post with Dual 15" Extension Arms



W5690

Dual-Post Large Monitor Mount (Supports 42" - 63" Monitors)



W5691 15" Post with

15" Extension Arm



W5692

28-1/2" Post with 15" Extension Arm



W5693

42" Post with Two 15" Extension Arms



W5697


15" Post with Height Adjustable Arm



W5698

28-1/2" Post with VESA Mount (Supports 26" - 45" Displays)





PRODUCT FEATURES AND HIGHLIGHTS

Optional Versa-TrakOptional aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.

CPU Mount

CPU mount provides easy access to the front and rear of your computer system. The articulating mount extends forward, includes a 90° swivel, and fits CPUs from 13-1/2" to 21-1/2"H by 5-3/8" to 9-3/8"W.

Corner Sections

Corners can be incorporated to create a convenient wraparound console that optimizes viewing angles, improves ergonomics and maximizes operator comfort. Corners are available in 45 and 90 degree sections and allow you to design a console that is suitable for any application, and one that fits into your unique space.

Contour Trim Work Surface - TruForm Front

The work surface is trimmed in durable black contour edge molding for a clean finished look. The Graphite Nebula laminate is attractive and will stand the test of time. The beveled TruForm front is comfortable to work at and is available in different color selections.

Riser Shelves

Riser shelves let you elevate printers, monitors, and electronics while providing space underneath for short rack cabinets and additional equipment access.

End Panels

Encompass-2 consoles come standard with a black vertical upright leg. To enhance the look of your installation, add TruForm end panels for a custom wood-finish look.

Pullout Keyboard Tray

Keyboard trays increase available work space by positioning keyboards under the work surface.

Rack Mount Cabinet

Winsted offers a broad range of 19" EIA Rack Mount Cabinets to compliment your Encompass-2 Workstation. Decorative trim options are available to create a complete solution to match your décor.

Cable and Wire Management

Desktop cable and wire management is a standard Encompass-2 feature. Desktop grommets, horizontal wiring troughs, vertical leg channels, and floor access points help maintain a clean, organized work environment.

Powder-Coat Paint

The Encompass-2 infrastructure is coated with a durable black powder-coat paint that accentuates the work surface/riser top. Textured finish prevents fingerprints and lasts for years.

Optional Task Light

Optional Task Light features a three-bar design for ultimate reach and flexibility. The highly adjustable LED head can spin in its socket, sweep side to side and rotate around the end of the arm to point in any direction.







SURROUND YOURSELF

Winsted's **Encompass-2** workstations have a longstanding reputation of comfort and reliability. From multimedia to video, to security, to office settings, **Encompass-2** workstations fit seamlessly into your work environment. Maximize your operator's performance by wrapping their work envelope around them and giving them ample work space.





TAILORED FOR YOU

Modular **Encompass-2** workstations are offered in a variety of in-stock solutions, or they can be customized to your application. Heavy-gauge formed sheet metal legs and uprights together with 16-gauge modesty panels provide a well built super structure with built-in cable management throughout. A graphite nebula surface with durable rubber edging creates a beautiful and durable desktop finish.



TAILORED ENCOMPASS-2 WORKSTATION							
MODEL#	ŀ	IEIGHT	WIDTH	ł	DEPTH		
E4864	37-3/8" (949mm)		96" (2438mm)		60" (1524mm)		
COLOR		ACCENT	COLOR		WEIGHT		
BLACK		RUSSIAN MAPLE		488 LBS.			
Tailanad oo datati aa oo aa							

Tailored workstation wraps you in style, supplying a large workspace for keyboards and risers for LCD monitors. Main desk includes two overhead task lights. Riser is 8-3/8"H (213mm). Adjustable hanging CPU holder mounts under the work surface.



SURROU	ND	ENCOMP	ASS-2 W	ORK	STATION
MODEL#	ŀ	HEIGHT	WIDTH	1	DEPTH
E4858		37-3/8" 949mm)	129-1/2 (3289m		88-3/4" (2254mm)
COLOR		ACCENT	COLOR		WEIGHT
BLACK		RUS: MA	SIAN PLE		640 LBS.
Complete Horse supplying a larg is 8-3/8"H (213m	e worl			•	•



HORSESH	10E	ENCOMP	ASS-2 W	ORK	STATION
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH
E4859	(7	29" '37mm)	129-1/2 (3289m)		88-3/4" (2254mm)
COLOR		ACCENT COLOR		WEIGHT	
BLACK		RUSSIAN MAPLE		604 LBS.	
MAPLE Complete Horseshoe workstation wraps around you while you work, supplying a large workspace for keyboards and LCD monitors. Dual LCD mounts keep the workspace free and allows for easy adjustment of LCD's.					



THRONG ENCOMPASS-2 WORKSTATION						
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH	
E4854	(7	29" '37mm)	225-1/2 (5728m		177-1/2" (4509mm)	
COLOR		ACCENT	COLOR	WEIGHT		
BLACK		RUSSIAN MAPLE		1571 LBS.		
Throng workstat	ion co	mpletely wra	ps around th	ne ope	rators supplying	

Throng workstation completely wraps around the operators supplying multiple workstations in a small contained area. Dual LCD mounts keep the workspace free and allows for easy adjustment of LCD's.

ARCHETYPE ENCOMPASS-2 WORKSTATION

MODEL#	1	HEIGHT	WIDTH	ł	DEPTH
E4869		37-3/8" 949mm)	96" (2438m)	m)	60" (1524mm)
COLOR		ACCENT	COLOR	WEIGHT	
BLACK		RUSSIAN MAPLE			428 LBS.

Archetype U-Shaped workstation includes 8-3/8"H (213mm) risers. Main desk includes Versa-Trak with two articulating monitor arms. Right and left hand return desks enclose the operator for efficiency. TruForm beveled front edge for comfort.



REFLECTION ENCOMPASS-2 WORKSTATION

MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH
E4863 (L) E4862 (R)		37-3/8" 949mm)	72" (1829m	m)	60" (1524mm)
COLOR		ACCENT	COLOR		WEIGHT
BLACK			SIAN PLE		293 LBS.

Reflection L-shaped workstation includes Versa-Trak with two articulating monitor arms. Left or Right hand return desk available. TruForm beveled front edge for comfort.



BASIC 48" ENCOMPASS-2 WORKSTATION

MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH
E4870	(7	29" '37mm)	48" (1219m)	m)	30" (762mm)
COLOR		ACCENT	COLOR		WEIGHT
BLACK			SIAN PLE		111 LBS.

Start building your system with this basic 48"W Encompass-2 workstation. Graphite Nebula laminate with contour edging and TruForm beveled front edge for comfort.



BASIC 72" ENCOMPASS-2 WORKSTATION

MODEL#	_	HEIGHT	WIDTH	1	DEPTH
E4872	(7	29" '37mm)	72" (1829m	m)	30" (762mm)
COLOR		ACCENT	COLOR		WEIGHT
BLACK			SIAN PI F		151 LBS.

Start building your system with this basic 72"W Encompass-2 workstation. Graphite Nebula laminate with contour edging and TruForm beveled front edge for comfort.





RIGHT & LEFT RETURN DESK					
MODEL#	TRUFORM	DESCRIPTION	WEIGHT		
E4877	E4879	60"W (1524mm) Left return only	128 LBS.		
E4876	E4878	60"W (1524mm) Right return only	128 LBS.		
Returns feature integrated cable management and dual 2" grommets. Available with Graphite Nebula laminate or TruForm top. 29"H x 60"W x 24"D (737 x 1524 x 610mm).					



TRAPEZOIDAL RISER TOP					
MODEL#	TRUFORM	DIMENSIONS	WEIGHT		
E4884	E4885	8-7/8"H x 44"W back x 37"W front x 12"D (225 x 1118 x 940 x 305mm)	31 LBS.		
Available with Graphite Nebula laminate or TruForm top.					



	VERSA-TRAK	
MODEL#	DESCRIPTION	WEIGHT
48212	Versa-Trak for 48" Encompass-2 desk	6 LBS.
48214	Versa-Trak for 60" Encompass-2 return	7 LBS.
48216	Versa-Trak for 72" Encompass-2 desk	8 LBS.
Mavimizo	flexibility by adding Winstad's exclusive Versa-Trak monitor me	unting

system to any Encompass-2 Workstation. Refer to page 43 for monitor mounts that

work with the Versa-Trak system.



	CONTEMPORARY LED TASK LIGHT			
MODEL#	DESCRIPTION	WEIGHT		
W5654	Versa-Trak mounted task light	4 LBS.		
E4899	Desk-mounted task light	4 LBS.		
Optional Task Light features a three-bar design for ultimate reach and flexibility. The highly adjustable LED head can spin in its socket, sweep side to side, and rotate				

around the end of the arm to point in any direction. Dimming is easily controlled

by a touchstrip located near the LED head for easy access.



	OPTIONAL SIDE PANELS	
MODEL#	DESCRIPTION	WEIGHT
48523	TruForm full-height side panel - pair	31 LBS.
48524	TruForm full-height side panel with routering - pair	30 LBS.
Customiz	the look of your Encompass-2 workstation	

	45° & 90° CORNER WORK SURFACE		
MODEL#	DESCRIPTION	WEIGHT	
E4880	45° Corner desk with modesty panel and wire management	37 LBS.	
E4882	90° Corner desk with modesty panel and wire management	116 LBS.	
Black powder coat finish and a Graphite Nebula corner top with rubber contour edging.			



	PULLOUT, SWIVEL CPU MOUNT			
MODEL#	DESCRIPTION	WEIGHT		
46260	Extends forward with 90° swivel	15 LBS.		
Fits CPU's from 13-1/2" to 21-1/2" High (343 to 546mm) by 5-3/8" to 9-3/8" Wide (137 to 238mm). Black finish.				



	ROLL-UP RACK 19-1/4" (11U) CABINET			
MODEL#	DIMENSIONS	WEIGHT		
E4741	25"H x 24"W x 24"D (635 x 610 x 610mm)	64 LBS.		
Includes 2" (51mm) carpet swivel casters. Graphite Nebula laminate top and Black side panels with Black welded steel frame. 19" EIA Equipment Rack.				



12-3/4"WIDE PENCIL DRAWER - BLACK					
MODEL#	DIMENSIONS	WEIGHT			
55233	2-3/8"H x 12-3/4"W x 18"D (60 x 324 x 457mm)	4 LBS.			
Mounts to the under-side of any work shelf. This drawer fits between console shelf brackets. Pulls out 12-3/4" (324mm). Black formed plastic.					



	ADJUSTABLE KEYBOARD SHELF					
MODEL#	DIMENSIONS	WEIGHT				
47084	24"W x 10"D (610 x 254mm)	11 LBS.				
Shelf swiv	Adjustable Pullout Keyboard Shelf. Features 20° tilt and 9" (229mm) height adjustment. Shelf swivels 180° and stores under the work surface. Padded front wrist support. Mounts to the underside of any flat desk top. Black.					





PRODUCT FEATURES AND HIGHLIGHTS

Stock and Custom Monitor Walls

Choose an in-stock monitor wall that is preconfigured and ready to ship or let Winsted design a custom monitor wall built to your specific monitor configuration.

Large Flat Panel Mounts

Our heavy-duty large LCD/plasma mounts combine a low profile design with integrated security features. The mount features a rapid leveling system, quick connect disconnect installation, fingertip-tilt, and a pullout bottom for convenient cable access. Allows for portrait or landscape flat panel installation.

Standard VESA Mounts

Universal VESA mounts easily attach flat panel monitors to the M-View Monitor Wall and provide smooth pivot and pitch adjustment for different viewing angles and ergonomic needs. The VESA mounts move freely along the M-View framework and are available to support any monitor.

1-1/2" x 3" Exterior Frame

The exterior framing is constructed of 1-1/2" x 3" extruded aluminum for superior strength and modularity. Custom frames can be manufactured to any height and length.

Power Strips

Ten, eleven, or twenty outlet power strips are available with on/off switches and circuit breakers. Power strips mount to the rear of the horizontal and/or vertical frame sections.

Black Anodized Finish

All M-View frames feature a black anodized finish that fits seamlessly into any environment. When installed, the M-View frame blends in with attached monitors, creating a pleasing shadow effect. Clear and custom anodized colors are available.

1-1/2" x 1-1/2" Interior Supports

The interior supports are constructed of extruded aluminum for superior strength and modularity. Custom frames can be manufactured to any height and length.

Cable and Wire Management

Multiple raceway channels are available for wire management. Run the cables horizontally or vertically using model M1032 (scored walls). Use model M1030 (solid walls) to run cables vertically to the floor.

Modular and Expandable


All M-View monitor walls are designed to support your monitor configuration. The M-View can be expanded and reconfigured based on your changing needs.

Optional Filler Panel

Complete your M-View with custom filler panels, available in a variety of colors and materials. Can be cut to provide access to electronics or vertical rack.

Quick-Release Adjustable Bracket

Our NEW quick-release bracket makes adjusting and reconfiguring your monitors fast and easy on our stock monitor walls.









CUSTOM MONITOR WALLS

If you require a custom-built monitor wall to support your specific monitor configuration, or to fit in your unique space, please contact Winsted and we will provide the perfect solution. Each custom **M-View** is designed and manufactured from the ground up to meet your specifications. The **M-View** is fabricated from light-weight, high-strength extruded aluminum and will support any size flat-panel monitor.



Our custom **M-View** monitor walls can be integrated with our award-winning Sight-Line consoles to optimize viewing angles, improve operator comfort and increase productivity. Flexible and completely modular, a custom **M-View** can be anchored to the console, the ceiling or a wall for additional support.



STOCK FRAMES WITH ADJUSTABLE UPRIGHTS							
MODEL#	A	В	С	D	E	COLOR	WEIGHT
M1100	80" (2032mm)	43" (1092mm)	24-1/2" (622mm)	24" (610mm)	2	BLACK	91 LBS.
M1102	80" (2032mm)	53" (1346mm)	24-1/2" (622mm)	24" (610mm)	2	BLACK	93 LBS.
M1104	80" (2032mm)	63"(1600mm)	24-1/2" (622mm)	24" (610mm)	3	BLACK	98 LBS.
M1106	80" (2032mm)	73" (1854mm)	24-1/2" (622mm)	24" (610mm)	4	BLACK	103 LBS.
M1108	80" (2032mm)	83" (2108mm)	24-1/2" (622mm)	24" (610mm)	4	BLACK	105 LBS.
M1121	94" (2388mm)	43" (1092mm)	38-1/2" (978mm)	24" (610mm)	2	BLACK	96 LBS.
M1123	94" (2388mm)	53" (1346mm)	38-1/2" (978mm)	24" (610mm)	2	BLACK	98 LBS.
M1125	94" (2388mm)	63" (1600mm)	38-1/2" (978mm)	24" (610mm)	3	BLACK	103 LBS.
M1127	94" (2388mm)	73" (1854mm)	38-1/2" (978mm)	24" (610mm)	4	BLACK	108 LBS.
M1129	94" (2388mm)	83" (2108mm)	38-1/2" (978mm)	24" (610mm)	4	BLACK	110 LBS.
Stock frames are pre-configured and ready to ship. All stock frames feature our NEW quick-release adjustable bracket.							

VESA MOUNTS					
MODEL#	DESCRIPTION	VESA MOUNT	WEIGHT CAPACITY	WEIGHT	
51238	LCD Mount 10"-32" Monitor	75 x 75mm 100 x 100mm	40 LBS.	3 LBS.	
51239	LCD Mount 26"-45" Monitor	100 x 100mm 100 x 200mm 200 x 200mm	75 LBS.	5 LBS.	

VESA monitor mounts allow smooth range of motion and hassle free, fingertip positioning of the monitors. Low profile appearance and sleek, attractive design conceals all hardware.



UNIVERSAL LARGE LCD/PLASMA MOUNT

			WEIGHT
11104	13.2"H x 34.44"W x 1.99"D (335 x 875 x 51 mm)	BLACK	19 LBS.

Heavy-Duty construction provides a secure mounting solution for monitors up to $63^{\prime\prime}$ wide and/or 200 pounds.



POWER SUPPLY OUTLETS WITH CIRCUT BREAKERS

MODEL#	DESCRIPTION	AMP	Outlet Length	WEIGHT
M1020	Ten-outlet	15	34" (864mm)	4 LBS.
M1021	Ten-outlet	15	68" (1727mm)	6 LBS.
M1022	Twenty-outlet	15	68" (1727mm)	7 LBS.
M1023	Eleven-outlet	20	68" (1727mm)	8 LBS.

On/Off switch. Mounts to any vertical or horizontal frame section where power is needed.



PANEL CHANNEL WIRE MANAGEMENT DUCTS

MODEL#	OVERALL DIMENSIONS	COLOR	WEIGHT
M1030	1-1/2"H x 1-1/2"W x 72"L (38 x 38 x 1829mm)	BLACK	2 LBS.
M1032	2"H x 2"W x 78"L (51 x 51 x 1981mm)	BLACK	2 LBS.
M1034	2"H x 4"W x 78"L (51 x 102 x 1981mm)	BLACK	3 LBS.

Black plastic channel with scored sidewalls for easy breakout. Protective channel can be cut to size. Model M1030 has solid walls. Covers included.







PRODUCT FEATURES AND HIGHLIGHTS

PRO SERIES I

Knocked-Down Frames

Pro Series I rack frames are flat-packed and shipped knocked-down to save space and reduce shipping costs.

Lacing Bars

A variety of vertical and horizontal lacing bars are available for each rack style, including a 71" solid copper bus har

Adjustable Punched Rack Rails

Adjustable front and rear 14-gauge rack rails for equipment installation. Rails are stamped with numbered rack increments.

Pedestal Wire Access Holes

Rack frame includes two 4"x 10" openings in the pedestal for air intake and cable management.

Powder-Coat Finish

The heavy-duty steel infrastructure of each rack is coated with a durable black powder-coat paint. Textured paint provides a beautiful finish in all environments.

Vented Side Panels

Convection-cooling side panel venting can be covered when vertical thermal management fans are used. Side panels feature cable access openings.

PRO SERIES II

Welded Frames

Racks utilize extra-heavy-duty welded construction delivering robust solutions in the most demanding environments.

Top Panel Options

Individual racks include a variety of top options: raised vented panels, solid and vented blank panels and internal/external mounted fans. Full or partial top coverage provides flexible ceiling cabling options.

Vented Side Panels

Removable half-height side panels are standard. Convection -cooling side panel venting can be covered when vertical thermal management fans are used.

Adjustable Tapped Rack Rails

Adjustable front and rear 14-gauge tapped rack rails for equipment installation. Rails are stamped with numbered rack increments.

NEMA Conduit Knock-outs

Pro Series II rack frames include NEMA - approved knock-outs which provide excellent wire management with multiple conduit sizes.

PRO SERIES II



PRO SERIES I



PRO SERIES I KNOCKED-DOWN VERTICAL RACKS				
MODEL#	DESCRIPTION	WEIGHT		
V8811	35" (20U) Rack. 40-1/2"H x 22-1/8"W x 26"D (1029 x 562 x 660mm)	84 LBS.		
V8801	70" (40U) Rack. 75-1/2"H x 22-1/8"W x 26"D (1918 x 562 x 660mm)	129 LBS.		
V8806	78-3/4" (45U) Starter. 84-1/4"H x 22-1/8"W x 26"D (2140 x 562 x 660mm)	140 LBS.		
Comes complete with a top, base and a pair of side panels. (Side panels are not removable.) Vented sides with an open base for cabling. Punched rack rails are adjustable. Black textured finish.				
V8805	78-3/4" (45U) Add-On. (Not Shown)	79 LBS.		
Comes complete with top, base and a single open side. Open add-on side for unobstructed cabling between cabinets. Adjustable punched rack rails. Black textured finish.				
V8807	Two 78-3/4" (45U) Double Bay. (Not shown). Models V8806 and V8805 combined for 157-1/2" (90U) of vertical rack space. 84-1/4"H x 44-1/8"W x 26"D (2140 x 1121 x 660mm)	217 LBS.		



	SOLID LOCKING DOORS			
MODEL#	DESCRIPTION	WEIGHT		
88301	35" (20U) • (889mm)	14 LBS.		
88300	70" (40U) • (1778mm)	27 LBS.		
88303	78-3/4" (45U) • (2000mm)	30 LBS.		
Solid vented locking door for the front or rear of the rack. Mounts to either left or right side with lift-off hinges. Black textured finish.				
85743	Master Key. Opens all doors.	0.5 LB.		



88310 (Door Only)

PLEXIGLAS® LOCKING DOORS			
DESCRIPTION	WEIGHT		
35" (20U) • (889mm)	14 LBS.		
70" (40U) • (1778mm)	24 LBS.		
78-3/4" (45U) • (2000mm)	27 LBS.		
Tinted Plexiglas locking door for the front or rear of the rack. Mounts to either left or right side with lift-off hinges. Black textured finish.			
Master Key. Opens all doors.	0.5 LB.		
	DESCRIPTION 35" (20U) • (889mm) 70" (40U) • (1778mm) 78-3/4" (45U) • (2000mm) xiglas locking door for the front or rear of the rack. Mounts to eit de with lift-off hinges. Black textured finish.		

PRO SERIES II

PRO SERIES II WELDED VERTICAL RACKS				
	24"D (610mi	m) RACK CABINET		
MODEL#	RACK HEIGHT	OVERALL HEIGHT	WEIGHT	
90012	35" (20U)	42" (1067mm)	66 LBS.	
90016	70" (40U)	77" (1956mm)	105 LBS.	
90018	78-3/4" (45U)	85" (2159mm)	110 LBS.	
21-3/4" D	from front rack rail to rear rac	k rail.		
	32"D (813mi	m) RACK CABINET		
90022	35" (20U)	42" (1067mm)	75 LBS.	
90026	70" (40U)	77" (1956mm)	115 LBS.	
90028	78-3/4" (45U)	85" (2159mm)	125 LBS.	
29-3/4"D 1	rom front rack rail to rear rack	crail.		
	38-3/8"D (975)	mm) RACK CABINET		
90032	35" (20U)	42" (1067mm)	110 LBS.	
90036	70" (40U)	77" (1956mm)	139 LBS.	
90038	78-3/4" (45U)	85" (2159mm)	140 LBS.	
36"D from front rack rail to rear rack rail.				



	DVR RACK - BLACK	
MODEL#	DESCRIPTION	WEIGHT
V9020	78-3/4"H (45U) x 38-3/8"D vertical rack with locking side panels, locking rear solid door, vented top panel panel & 5-1/4"H (3U) 300 CFM rack mount filtered fan.	290 LBS.
	3-1/4 11 (30) 300 CHW Tack Mount littered fail.	
to fill, the	you are populating a single vertical rack with DVRs or have an ent Pro Series II DVRack is perfect for this application. Order one mode plete single rack.	
to fill, the	/ou are populating a single vertical rack with DVRs or have an ent Pro Series II DVRack is perfect for this application. Order one mode	



	STANDARD BLACK PEDESTAL - 22-1/8"W	
MODEL#	DIMENSIONS	WEIGHT
90072	24"D x 2-1/2"H (610 x 64mm)	15 LBS.
90076	32"D x 2-1/2"H (813 x 64mm)	16 LBS.
90078	38-3/8"D x 2-1/2"H (975 x 64mm)	18 LBS.
Pedestals provide conduit knock-outs and removable side sections for horizontal cable management.		



10" COOLING FAN - BLACK					
MODEL#	FAN MEASURES	CFM	WEIGHT		
G9085 3-1/2"H x 10"W (89 x 254mm) 550 9 LBS					
Comes complete with 5 foot cord, two finger guards and a 10-1/2" (6U) blank panel for mounting in the Pro Series II vertical rack top.					



VENTED TOP PANELS - BLACK

	MODEL#	RACK CABINET DEPTH	WEIGHT
	90051	24" (610mm)	8 LBS.
-	90053	32" (813mm)	11 LBS.
	90055	38-3/8" (975mm)	13 LBS.

Includes bracket for Model 10705 exhaust fan. (Fan sold separately see p. 82)

SOLID BLANK TOP PANELS - BLACK (19"W)

MODEL#	RACK SIZE	PANEL SIZE	WEIGHT
99145	24"D	19"W (483) x 10-1/2"H (6U)	4 LBS.
99148	32″D	19"W (483) x 19-1/4"H (11U)	8 LBS.
99152	38-3/8"D	19"W (483) x 24-1/2"H (14U)	11 LBS.

Solid top panels easily mount in the standard 19" vertical rack top.

VENTED BLANK TOP PANELS - BLACK (19"W)

MODEL#	RACK SIZE	PANEL SIZE	WEIGHT
86142 (2)	24"D	19"W (483) x 5-1/4"H (3U)	2 LBS.
86149	32″D	19"W (483) x 19-1/4"H (11U)	4 LBS.
86142 (1)	38-3/8"D	19"W (483) x 5-1/4"H (3U)	1 LB.
86149 (1)	38-3/8"D	19"W (483) x 19-1/4"H (11U)	4 LBS.

Vented beehive panels reduce heat build-up.

TAPPED OUTER RACK RAIL - PAIRS

MODEL#	RACK CABINET DEPTH	WEIGHT
90262	35"(20U)	4 LBS.
90266	70"(40U)	8 LBS.
90269	78-3/4" (45U)	9 LBS.

Right and left rails sold as pairs. 12-Gauge steel with numbered rack units and black zinc plating. Order 10-32 mounting screws separately. Model 10800 (Silver) or 10814 (Black).

SCREWS AND WASHERS

MODEL#	DESCRIPTION	WEIGHT
10800	$10-32 \times 3/4$ " Silver Pilot screws and washers. 50 each.	0.5 LB.
10814	$10-32 \times 3/4$ " Black Pilot screws and washers. 50 each.	0.5 LB.

Pilot screws make it easy to install your electronics.

2-1/2" (64MM) PLATE CASTERS - SET OF FOUR

-0-	MODEL#	DESCRIPTION	WEIGHT
	85782	For 24"D, 32"D & 38-3/8"D rack cabinets (mount to pedestal only)	4 LBS.


Heavy duty casters allow you to move your vertical rack with ease.

LEG LEVELERS & GUSSETS — SET OF FOUR

MODEL#	HEIGHT	WEIGHT
90270	For 24"D, 32"D & 38-3/8"D rack cabinets	1 LB.

Mounts to rack bottom or pedestals.

VENTED SIDE PANELS - BLACK (PAIRS)



PRO SERIES II LOCKING DOORS						
Rack ——— Frame Size	35" (20U) Mounts to the front/rear frame of Models 90012, 90022, 90032		70" (40U) Mounts to the front/rear frame of Models 90016, 90026, 90036		78-3/8" (45U) Mounts to the front/rear frame of Models 90018, 90028, 90038	
DESCRIPTION	MODEL#	WEIGHT	MODEL#	WEIGHT	MODEL#	WEIGHT
PLEXIGLASS	90332 Front Only	18 LBS.	90336 Front Only	31 LBS.	90338 Front Only	37 LBS.
VENTED SOLID	90322 Front Only	16 LBS.	90326 Front Only	31 LBS.	90328 Front Only	34 LBS.
SOLID	90312 Rear Only	12 LBS.	90316 Rear Only	24 LBS.	90318 Rear Only	26 LBS.
SOLID All doors can be in	Rear Only		Rear Only		Rear Only	

All doors can be installed to open from left or right. Black texture powde coat finish.

PRO SERIES I RACKS CASTER KIT - BLACK

0/1/2/	MODEL#	DESCRIPTION	WEIGHT
1	88240	4 ea. 2" (50mm) swivel casters & 2 ea. support braces	10 LBS.

Fits all Pro Series I racks.

(Not Shown)

Enhance reliability while protecting and managing your cables.

HORIZONTAL RACK LACING OPTIONS - BLACK

		MODEL#	DESCRIPTION	WEIGHT
5	5	90273	1/2"H Black rack mount slotted lacing strip with horizontal slots	0.5 LB.
6	6	10220	1-3/4" Slotted lacing rack mount panel with horizontal slots	1 LB.
7	7	85276	Aluminum round bar rack mount cable guide extends cable life	0.5 LB.
All horizontal lacing options mount in any standard 19" opening.				

UNIVERSAL RACK MOUNT SHELVES - BLACK



MODEL#	DESCRIPTION	WEIGHT
88091	3-1/2" (2U) Stationary shelf. 2-7/8"H x 18"D (73 x 457mm)	8 LBS.
88093	5-1/4" (3U) Stationary shelf. 4-5/8"H x 18"D (117 x 457mm)	9 LBS.
88095	8-3/4" (5U) Stationary shelf. 8-1/8"H x 18"D (206 x 457mm)	10 LBS.
88096	10-1/2" (6U) Stationary shelf. 9-7/8"H x 18"D (251 x 457mm)	11 LBS.
97091	3-1/2" (2U) Stationary shelf. 2-7/8"H x 12"D (73 x 305mm) Includes Strap Model 12765 for securing electronics	6 LBS.
88094	20" (508mm) Extension pullout shelf. Locks in closed position. Uses 1-3/4" (1U) rack space	17 LBS.

Fits into any 19" EIA (482mm) rack. Heavy 14 gauge sides, 16 gauge bottom, and 12" or 18" deep vented bottom for cooling and strapping down electronics.

UNIVERSAL SHELF SUPPORT BRACKETS - BLACK



Fastens to front and rear rack rails of any standard 19" EIA cabinet ranging from 22" to 36" D (559 to 914mm).

BLANK PANEL FILLER KITS KIT #1 KIT #2 KIT#3 MODEL# MODEL# MODEL# 4ea. (1U) 4ea. (1U) 4ea. (1U) 2ea. (2U) 16 G9101 G9102 14 G9103 2ea. (2U) LÉS 2ea. (2U) LBS. LBS 1ea. (3U) 1ea. (9U) All blank panel kits include mounting hardware (50 bolts and clips).

PRO SERIES I & II TRUFORM WORK SURFACES - 18"D

	MODEL#	DESCRIPTION	WIDTH	WEIGHT
	90661	Single-Bay	22-1/8"	29 LBS.
	90662	Two-Bay	44-1/4"	50 LBS.
1	90663	Three-Bay	66-3/8"	75 LBS.
	90664	Four-Bay	88-1/2"	96 LBS.

 $18\mbox{"D}$ (457mm) work surface with a 1-3/4" (44mm) beveled front edge. Black TruForm finish.

SQUARE HOLE RACK RAILS - BLACK

MODEL#	HEIGHT	WEIGHT
90267	70"	3 LBS.
90271	78-3/4"	3 LBS.
G8060	Square Tinnerman Nut 25 Each	1 LB.

Designed to mount in Pro Series II vertical racks.

UTILITY DRAWERS WITH LOCK - BLACK



MODEL#	SIZE	WEIGHT
88321	8-3/4" (5U) rack mountable pullout utility drawer	18 LBS.
88324	12-1/4" (7U) rack mountable letter/legal size pullout file drawer	23 LBS.
		·

All drawers feature heavy duty ball bearing slides for years of reliability.

RACK MOUNT KEYBOARD SHELF - BLACK



 $\label{lem:conveniently stores your keyboard inside the vertical rack.}$

MULTI-PURPOSE UTILITY DRAWER - BLACK

MODEL#	DESCRIPTION	WEIGHT
88323	3-1/2"H (2U) Utility Drawer	15 LBS.

Can be rack mounted or mounted to the underside of any wood work surface. 3-3/8" (86mm) inside height.

VELCRO STRAP - BLACK

MODEL#	DESCRIPTION	WEIGHT
12765	Velcro Strap 1" x 96" long (25 x 2438mm)	0.5 LB.

Perfect for securing electronics to a shelf.

EXTRA DEEP VENTED STATIONARY SHELF - BLACK

MODEL#	DESCRIPTION	WEIGHT
88090	Rear supports adjust 22" to 36"D (559 x 914mm) to fit a wide variety of rack cabinets	11 LBS.

Inside tray dimensions: 17-3/8"W x 21-3/4"D (441 x 552mm). Requires just 3-1/2" (2U) of rack space. Overall dimensions: 3-1/2"H x 19"W x 21-3/4"D (89 x 483 x 552mm).

LAMINATED TABLE TOP RACKS - BLACK



MODEL#	DESCRIPTION	WEIGHT				
99484	7"H (4U) Table Top Rack 8-1/4"H x 20-3/8"W x 18"D (210 x 518 x 457mm)	19 LBS.				
99488	14"H (8U) Table Top Rack 15-1/4"H x 20-3/8"W x 18"D (387 x 518 x 457mm)	23 LBS.				

Comes complete with laminated top, bottom, a pair of side panels and tapped zinc plated rack rails. Black finish.

19" WIDE EIA BLANK PANELS



MODEL# PEARL GREY	MODEL BLACK	HEIGHT	RACK UNIT	WEIGHT
85140	99140	1-3/4" (44mm)	(1U)	1 LB.
85141	99141	3-1/2" (89mm)	(2U)	1 LB.
85142	99142	5-1/4" (133mm)	(3U)	2 LBS.
85143	99143	7" (178mm)	(4U)	3 LBS.
85144	99144	8-3/4" (222mm)	(5U)	3 LBS.
85145	99145	10-1/2" (267mm)	(6U)	4 LBS.
85146	99146	12-1/4" (311mm)	(7U)	4 LBS.
85147	99147	14" (356mm)	(8U)	6 LBS.
85148	99148	15-3/4" (400mm)	(9U)	7 LBS.
85149	99149	19-1/4" (489mm)	(11U)	8 LBS.
85152	99152	24-1/2" (622mm)	(14U)	10 LBS.

Our 16 gauge steel blank panels are flanged for extra strength. They are finished attractively in textured powder coat paint. All sizes are available in Pearl Grey or Black. Just choose the appropriate size blank panel to provide the perfect finishing touch for all of your installations.

METAL TABLE TOP RACKS - BLACK



MODEL#	DESCRIPTION	WEIGHT
V4211	21"H (12U) Table Top Rack 23-5/8"H x 21-9/16"W x 18-3/4"D (600 x 548 x 476mm)	36 LBS.
V4221	28"H (16U) Table Top Rack 30-5/8"H x 21-9/16"W x 18-3/4"D (778 x 548 x 476mm)	41 LBS.

Standard EIA 19"W cabinets. Two sides, top and bottom. Winsted's "High-Tech" table top rack design fits perfectly in the security market. Steel construction protected by a Black enamel finish. Vented sides to cool your electronics.

WINSTED WARRANTY

- A LIFETIME WARRANTY on all fixed steel structure frame components.
- · A 10 year warranty on adjustable, sliding or hinged components and laminated & Marmoleum surfaces.
- A 5 year warranty on Endurance Plus and TruForm surfaces.
- A 2 year warranty on all electrical components and chairs.

All warranties are effective from date of shipment. All products shall be free from defects in material and workmanship under normal usage and conditions for which the products were designed.

Winsted's obligation under this warranty shall be limited to the exchange of the product or parts that proved to be defective or unsatisfactory. Winsted reserves the right to have the product inspected at the buyer's location or have the product returned to the factory for inspection. The above warranty does not extend to consumable products, goods damaged or subjected to accident, abuse or misuse after shipment from Winsted's factory or to goods that are altered or modified.



VALUE

Winsted provides support second to none in the industry. Trained representatives gather project information, give design support to help lay out the project and even provide infield support.

PRODUCT DEVELOPMENT

This process never stops. Winsted is known as the industry leader. We provide new solutions daily as technology continues to change.

AVAII ARII ITY

Winsted supplies metal consoles and racks from stock, with custom wood and Corian finishes available within 4 weeks.

FREIGHT

Call Winsted for your free freight quotation, this takes the guesswork out of the quotation. We can provide CIF quotations for all orders, which helps the customer understand the true cost of the product.

FLAT-PACKED, PRE-ASSEMBLED, INSTALLED

Winsted will drop-ship orders directly. Every order has three options for shipment:

1. Flat-packed -

Reduces shipping costs and provides the fastest delivery.

2. Pre-assembled prior to shipping -

Reduces customer set-up time.

3. Installed -

Product installed by trained Winsted technicians. Call for on-site installation cost.

CUSTOMER SERVICE

Specialists are individually empowered to handle issues and resolve situations efficiently and fairly.

Product Offering

Winsted offers the most complete line of products in the industry, designed to fit a variety of needs within almost any organization. From control room consoles and military command centers, to network operation centers and process control applications. Winsted pledges to provide products that meet today's needs, as well as anticipating future technology requirements.

SATISFACTION GUARANTEED

Winsted Products are guaranteed to be free of manufacturing defects. If any product is determined to be unsatisfactory, call our Customer Service Department Toll-Free (800) 447-2257. Our policy is that you must be completely satisfied with our products. For fast service or for additional product information call Toll-Free (800) 447-2257. In Minnesota call "collect" (952) 944-9050.

SHIPPING

All shipments are F.O.B. shipping point. Every attempt will be made to ship your order as soon as possible via the most direct and economical way. If a specific carrier is preferred, the purchase order must be clearly marked.

Control Room Consoles

LIABILITY

No liability is assumed by our company for damage and/or injury resulting from use of products supplied by this company.

CREDIT

For new accounts that have not established credit with Winsted, a sufficient amount of time should be allowed to obtain proper credit information. Please be sure to provide your bank information and two trade references with initial order. If immediate shipment of order is desired, ship C.O.D. or send check for full amount with order or call with credit card information. Special order merchandise and large orders may require 50% cash in advance before shipping.

DROP SHIPMENTS

Winsted will ship orders directly to any authorized dealer's customer. Drop shipments are sent pre-paid with freight charges, plus a small handling charge added to the dealers invoice.

FREIGHT SHORTAGES OR DAMAGES

All shipments should be inspected carefully upon receipt. Before signing the freight bill have the delivering carrier note any damage, shortage or loss in writing on the freight bill. Concealed damage must be reported to Winsted within 15 days. Failure to do so places responsibility for loss with the consignee.

RETURNED GOODS

No merchandise may be returned without prior authorization. Custom items will not be accepted on a return. Call Toll-Free (800) 447-2257 to our Customer Service Department and obtain a "Return Authorization Number." All returns are to be prepaid. All return merchandise is subject to a 15% restocking and handling charge. Credit will be issued provided products are returned in undamaged condition, and in their original packaging.

TERMS OF SALE

Terms are Net 30 days, upon credit approval. Outstanding past due balances are subject to a financing charge of 1-1/2% per month. All terms, conditions, specifications and prices are subject to change without notice.



PRODUCT FEATURES AND HIGHLIGHTS

LCD Mounting

19" EIA rack mountable LCDs will mount directly into the LCD/3 bays. For non-rack mountable LCDs, Winsted offers VESA-compliant mounting brackets that provide an adjustable viewing depth for LCD monitors up to 17-3/8" wide.

Extended Work Surface

An extended work surface provides space for electronics and/or additional operator work space while delivering the same benefits and options as an inline work surface.

Rack Mount Cabinet

Rack mount cabinets work nicely as a base for an extended work surface while providing a rack mount option for your equipment.

CPU Holder

Laminated CPU holder positions the CPU for easy access to the front for USB ports and drives and the back for cabling.

Utility Drawer

Add-on utility drawers are perfect for tapes, power cords, connectors, tools, and anything else you need to store. Drawers fit in the bottom of base consoles only.

Pullout Shelf

Pullout shelves are ideal for non-rack mountable electronic equipment. Shelves extend 14" and fit in the bottom of base consoles only.

Storage Credenza

Laminated storage credenza can be custom-built to your specifications, and provides a perfect storage option for manuals and media discs.

Cable and Wire Management

Panel channel wiring ducts mount inside each console base to provide flexible cable and wire management. Ducts are available in two sizes: 2"H x 4"W and 4"H x 4"W.

Corner Module

Corner modules let you create wrap-around corner consoles that fit your space requirements. Module includes an open base for cable management, and a lift-off rear access panel.

TruForm Work Surface

TruForm work surfaces are built on a 1"thick medium density core, and can be custom fit for any application. Customize your work surface using a myriad of colors and/or beveled radius edges.


Custom End Panel

Custom end panels can be added to enhance the look of the console. TruForm end panels with laminate overlays can include bevels, curves and logos to customize your installation.

Stainless Steel Footrest

Stainless steel footrests are perfect for inline configurations to prevent console tipping, and to provide a nice visual touch. Footrests bolt directly to the front of each module and allow proper positioning of the feet to improve comfort.

LCD/3 ERGONOMIC PROFILE









KEEP A LOW PROFILE

to easily see over secured monitors as they work with an ergonomic design that puts less strain on operators. Single, double and triple tier consoles from the LCD/3 series allow for vertical as well as horizontal expansion to fit any control room specification. All-in-one LCD/3 single-operator consoles provide arms-length access to CPU, operating manuals, file drawers and printers. Available options include extended work surfaces, a manual credenza, pullout shelf, utility drawer, mobile printer stand and many more.





EXPAND YOUR VIEW

Winsted **LCD/3** low profile consoles secure monitors in ergonomically correct single, double or triple-tier modular consoles that expand with your growing needs. **LCD/3** consoles feature a low 39" profile with 21" of rack space. Flat panel displays are housed in 12U of 19"W EIA standard rack space with plenty of room for wire management. Correct viewing angles are achieved with a rack mount VESA-compliant mounting bracket, which provides an adjustable viewing depth for LCD monitors up to 17-3/8" wide.









2-BAY LCD/3 CONSOLE WITH RACK CABINET MODEL# HEIGHT WIDTH DEPTH G5373 39-1/2" 92-1/4" 45-1/8" (1003mm) (2343mm) (1146mm) COLOR ACCENT COLOR WEIGHT BLACK LIGHT OAK TRUFORM 568 LBS.

Single operator console with bookshelf, CPU shelf, and 24-1/2"H (14U) rack cabinet.

FOUR-BAY LCD/3 CONSOLE					
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH
G5302	(9	39" 91mm)	85-3/4 (2178m		
COLOR		ACCENT	COLOR	WEIGHT	
BLACK		BL <i>A</i> TRUF	ACK FORM	392 LBS.	
This console offers four 21"H (12U) rack spaces for LCD panels. TruForm work surface has beveled front edge for better comfort.					

MODEL#	- F	IEIGHT	WIDTH		DEPTH
G5372		39-1/2" 003mm)	72" (1829mi	45-1/8" m) (1146mm)	
COLOR		ACCENT	COLOR		WEIGHT
BLACK		LIGH ^T TRUF		504 LBS.	

TWO-B	Y L	CD/3 CUS	TOMIZE	D CC	ONSOLE
MODEL#		HEIGHT	WIDTH	•	DEPTH
G5370		62-5/8" 45-5/8" (1591mm) (1159mm)		45-1/8" (1146mm)	
COLOR		ACCENT	COLOR	WEIGHT	
BLACK		CUS [*] LAMI	TOM NATE	218 LBS.	
Single operator console with four 21" (12U) rack spaces and custom sides panels.					

2-BAY LCD/3 CONSOLE WITH TRUFORM TOP						
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH	
G5360		39-1/2" 45-5/8" (1003mm) (1159mm)			45-1/8" (1146mm)	
COLOR		ACCENT	COLOR	WEIGHT		
BLACK		LIGHT TRUF	OAK ORM	233 LBS.		
Single operator console with two 21" (12U) rack spaces for LCD panels.						



4-BAY LC	D/3 (CONSOLE	WITH T	OP N	IODULES
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH
G5306	62" (1575mm)		106" (2692mm)		45-1/8" (1146mm)
COLOR		ACCENT	COLOR	WEIGHT	
BLACK			ACK 572 L FORM		572 LBS.
Single operator console with eight 21" (12U) rack spaces for LCD panels.					



4-BAY CORNER LCD/3 CONSOLE						
MODEL#	ŀ	HEIGHT	WIDTH	1	DEPTH	
G5305	(9	39" 991mm)	106" (2692m	m)	45-1/8" (1146mm)	
COLOR		ACCENT	COLOR	WEIGHT		
BLACK		BL <i>A</i> TRUF		434 LBS.		
Single operator console with four 21" (12U) rack spaces for LCD panels.						



2-BAY THREE-TIER LCD/3 CONSOLE						
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH	
G5301	(2:	88" 235mm)	43-5/8 (1108m		45-1/8" (1146mm)	
COLOR		ACCENT	COLOR		WEIGHT	
BLACK		BL <i>A</i> TRUF			325 LBS.	
Single operator of	onsol	e with six 21"	(12U) rack s	paces f	for LCD panels.	





	UTILITY DRAWER - BLACK					
MODEL#	DIMENSIONS	WEIGHT				
88321	8-3/4"H x 19"W x 21"D (222 x 483 x 533mm)	18 LBS.				
	Rack mountable pullout drawer with lock for tapes, power cords, connectors or tools. Only fits in the base of LCD/3.					



	PIVOTING LCD RACK MOUNT - BLACK					
MODEL#	DIMENSIONS	WEIGHT				
F8154	Uses 17-1/2" (10U) of rack space	17 LBS.				
tilting of L	Swivel mounting can be adjusted up/down on mounting panel. Allows for 30° tilting of LCD. Accommodates up to 19" (483mm) flat screen. Maximum LCD width is 17-3/8" (441 mm).					



	LCD MONITOR RACK KIT - BLACK	
MODEL#	INSIDE MEASUREMENT	WEIGHT
F8153	Uses 17-1/2" (10U) of rack space	5 LBS.
	n Mounting Kit. This kit is a combination of Model 92187 bracket ount. Together they allow larger LCDs to be mounted in front of the k Finish.	



STATIC FLAT SCREEN MOUNTING BRACKET - BLACK			
MODEL#	DESCRIPTION	WEIGHT	
92186	Up to 19″ (483mm) Flat Screen with VESA mount pattern. Maximum LCD width 17-3/8″ (441mm). 5-1/4″H (3U)	4 LBS.	
Detachable mounting bracket makes installation quick and easy. LCDs mount easily inside 19" EIA rack space.			



	LCD/3 SHELVES - BLACK			
MODEL#	DIMENSIONS	WEIGHT		
53081	19"W x 20-1/8"D (483 x 511mm)	8 LBS.		
Stationary Shelf for base portion of LCD/3 Console.				
MODEL#	DESCRIPTION	WEIGHT		
88094	1-3/4"H x 17-3/4"W x 20-3/4"D (44 x 451 x 527mm)	17 LBS.		
Pullout shelf for base portion of LCD/3 Console. See page 79 for details.				

	RACK EXTENSION MODULES - BLACK			
MODEL#	OVERALL DIMENSIONS	WEIGHT		
53273	7-1/8"H x 21-1/16"W x 11-1/4"D (181 x 535 x 286mm)	12 LBS.		
Attaches to the slope face of the base/slope module 53012 and brings rack mounted electronics to the edge of the work surface. 5-1/4" (3U) of rack space.				
53266	22-1/2"H x 21-1/16"W x 6"D (572 x 535 x 152mm)	13 LBS.		
Same as Model 53273 except supplies 21" (12U) of rack space.				



	SHELF FILLER PANEL - BLACK				
MODEL#	DIMENSIONS	WEIGHT			
53157	5-1/4" (3U)	2 LBS.			
Use between shelf support brackets leaving 8-3/4" of rack space under shelf. Can not be used with 53280 front filler.					




	FRONT FILLER - BLACK				
MODEL#	DIMENSIONS	WEIGHT			
53280	14-11/16"H x 19"W (373 x 483mm)	5 LBS.			
Lift-off front panel fills the rack opening between the shelf brackets. Filler slips into front of base/slope module. Can not be used with 53157 filler panel.					



LIFT-OFF REAR PANELS - BLACK				
MODEL#	DIMENSIONS	WEIGHT		
53284	21"H x 19"W (533 x 483mm)	7 LBS.		
For use with top module 53014. Flush mount vented panel hooks to frame.				
53282	33-1/4"H x 19"W (845 x 483mm)	10 LBS.		
For use with base/slope module 53012. Vented panel hooks to frame. Flush mount.				

	REAR LOCKING DOORS - BLACK			
MODEL#	DIMENSIONS	WEIGHT		
53304	21"H x 19"W (533 x 483mm)	7 LBS.		
Can be mounted to open from left or right with spring pin hinges. For use with Top Module 53014.				
53302	33-1/4"H x 19"W (845 x 483mm)	11 LBS.		
Can be mounted to open from left or right with spring pin hinges. For use with base/slope 53012.				





PRODUCT FEATURES AND HIGHLIGHTS

Base/Slope Consoles

Consoles are available in three sizes of base (14U)/slope (8U,11U,12U) combinations. Slope sections deliver an ergonomic monitor viewing angle and easy equipment access. Base section is ideal for decks, CPUs and limited-access electronics.

Wedges

Wedges fit between base/slope and top modules to deliver enhanced viewing options for additional visual content. Wedges deliver a 12-degree downward rotation.

Top Modules

Top modules are add-on rack mount cabinets that deliver vertical equipment expansion options. Modules are available in 8U and 11U sizes and include front and rear punched rack rails. Front tapped rack rails are available upon request at no charge.

Punched Rack Rails

Front and rear 19" EIA punched rack rails with stamped rack increments included with each rack. Front tapped rack rails are available upon request at no charge.

Cross Support

Under certain equipment demands, the horizontal cross-support between the base and slope sections of a base/slope console can be removed to create additional rack mount space.

Welded Corner Sections

Corner modules help shape your console design to the physical room constraints. Corners are available in 45 and 90-degree combinations.

Flexible Shipping

Based on installation needs, consoles can be shipped pre-assembled or knocked-down ready for on-site assembly by you. Certified Winsted installers are available for an extra charge.

Cooling Fans

Thermal Management is critical to the maintenance and life of individual electronic components. When convection cooling isn't enough, multiple cooling fan styles are available such as bottom-mount filtered fans, inline muffin fans, and top-mount blower fans to solve your thermal needs.

Side Panels

Side Panels are available in both full and half-height styles. Convection-cooling side panel venting can be covered when vertical thermal management fans are used.

Pedestal


Pedestals can be used to raise the height of a console installation. Pedestals include adjustable leg levelers.

Wire and Cable Management

Easy-access panel channel wiring duct keeps equipment connections under control. Plastic channels can be cut-to-length, and include scored side-walls for easy breakout.

Work Surface

Work surface solutions are available to fit any combination of inline or cornered consoles. Keyboard trays can be mounted under any work surface to extend functionality.







MODULAR FLEXIBILITY

Modular **System/85** rack mount consoles are designed to handle a wide range of technical furniture needs and can easily be expanded to keep up with changing technology. Built to last a lifetime and backed by a lifetime warranty, these consoles stand the test of rigorous 24/7 control room environments. Contact a Winsted sales representative and let us create the perfect configuration for your control room.






SECURITY CONSOLE

DURABLE COMFORT

Operator comfort and efficiency is key to the 24/7 security/surveillance console. Winsted **System/85** rack mount consoles have a longstanding reputation of comfort and reliability. Each console is ergonomically designed to provide appropriate viewing angles for each monitor, as well as easy access to EIA 19" standard rack mount electronics and desktop controls.







3-BAY 19-1/4" (11U) SLOPE CONSOLE						
MODEL#	ŀ	HEIGHT	WIDTH	ł	DEPTH	
J8540	52-7/16" (1332mm)		64-11/16" (1643mm)		47" (1194mm)	
COLOR		ACCENT	COLOR		WEIGHT	
PEARL GREY		DC GR			442 LBS.	
Single operator LCD monitoring console with center shelf for LCD monitor.						



26"D BASE & 19-1/4" (11U) SLOPE CONSOLE					
MODEL#	BAYS	OVERALL DIMENSIONS	WEIGHT		
J8208	1	52-7/16"H x 22-9/16"W x 47"D	190 LBS.		
J8209	2	52-7/16"H x 43-5/8"W x 47"D	318 LBS.		
J8210	3	52-7/16"H x 64-11/16"W x 47"D	450 LBS.		
J8211	4	52-7/16"H x 85-3/4"W x 47"D	601 LBS.		
Upper slope section provides 19-1/4" (11U) of usable rack space.					




26"D BASE & SLOPE CORNER CONSOLE						
MODEL#	BAYS	DESCRIPTION	WEIGHT			
J8252	3	Base & 19-1/4" slope	540 LBS.			
J8253	J8253 3 Base & 21" slope 546 LBS.					
Overall dimensions: 52-7/16"H x 94-1/2"W x 56"D						




Latches keep the shelf from pulling out when not in use. Shelf has a vented bottom and a recessed area for DVR feet so overall height remains an EIA standard. Extends 20" (508mm).













12-3/4" W PENCIL DRAWER - BLACK





UNIVERSAL RACK MOUNT SHELVES






MODEL#	OVERALL DIMENSIONS	WEIGHT
86071 PEARL GREY	3-1/2" (2U) x 19"W x 18"D (89 x 483 x 457mm) ID 2-7/8"H x 17-3/8"W (73 x 441mm)	8 LBS.
86073 PEARL GREY	5-1/4" (3U) x 19"W x 18"D (133 x 483 x 457mm) ID 4-5/8"H x 17-3/8"W (117 x 441mm)	9 LBS.
88091 BLACK	3-1/2" (2U) x 19"W x 18"D (89 x 483 x 457mm) ID 2-7/8"H x 17-3/8"W (73 x 441mm)	8 LBS.
88093 BLACK	5-1/4" (3U) x 19"W x 18"D (133 x 483 x 457mm) ID 4-5/8"H x 17-3/8"W (117 x 441mm)	9 LBS.
88095 BLACK	8-3/4" (5U) x 19"W x 18"D (222 x 483 x 457mm) ID 8-1/8"H x 17-3/8"W (206 x 441mm)	10 LBS.
88096 BLACK	10-1/2" (6U) x 19"W x 18"D (266 x 483 x 457mm) ID 9-7/8"H x 17-3/8"W (251 x 441mm)	11 LBS.
97091 BLACK	3-1/2" (2U) x 19"W x 12"D (89 x 483 x 305mm) ID 2-7/8"H x 17-3/8"W (73 x 441mm)	6 LBS.

Heavy 14- and 16-gauge steel to assure strength. Fits into any EIA 19"W (483mm) rack. Pearl Grey or Black.

FLUSH-MOUNT SHELF BRACKET FILLER PANEL

 MODEL#	DESCRIPTION	WEIGHT
	Uses 3-1/2" (2U) of rack space. Overall height 8-3/4" (5U)	3 LBS.
Fills the op brackets.	en space between the work surface	support

SPACE-SAVING SHELF BRACKET FILLER PANEL





UNIVERSAL EXTRA-DEEP STATIONARY SHELF



MODEL#	DIMENSIONS	WEIGHT
86090 PEARL GREY	3-1/2"H x 19"W x 21-3/4"D (89 x 483 x 552mm)	12 LBS.
88090 BLACK	3-1/2"H x 19"W x 21-3/4"D (89 x 483 x 552mm)	12 LBS.

Designed to attach to the front and back rack rails for extra support. Back rail supports adjust 22" to 30" (559 x 762mm) deep and fit a wide variety of rack cabinets. Inside tray dimensions: $17-3/8"W \times 21-3/4"D$ (441 x 552mm). Requires just 3-1/2" (2U) of rack space. Pearl Grey or Black.

STATIONARY SHELVES - 22-5/8" TO 26"D (575-660MM) RACKS



MODEL#	DIMENSIONS	WEIGHT
86088 PEARL GREY	1/2"H x 18-1/2"W x 20-1/4"D (13 x 470 x 514mm)	10 LBS.
88088 BLACK	1/2"H x 18-1/2"W x 20-1/4"D (13 x 470 x 514mm)	10 LBS.

Flat shelf for Winsted racks with inner rack rails. Cannot be used with Pro Rack series. Pearl Grey or Black.

CHASSIS SUPPORT BRACKETS - PAIRS



MODEL#	DIMENSIONS	WEIGHT
86242	For 22-5/8"D (575mm) Winsted racks with inner rack rails. 1-1/2" x 1-1/2" x 18-3/4" (38 x 38 x 476mm)	3 LBS.
86243	For 26"D (660mm) Winsted racks with inner rack rails. 1-1/2" x 1-1/2" x 22-1/8" (38 x 38 x 562mm)	3 LBS.

Angled brackets are designed to provide additional support to your rack mounted electronics. Dove Grey.

FLUSH MOUNT LOCKING SOLID DOORS



MODEL#	RACK SIZE	DOOR SIZE	WEIGHT
96300	19-1/4" (11U)	19-1/4" (489)	7 LBS.

Flush mount door is 3/4"D (19mm) with a 3/4" (19mm) clearance for electronics. Pearl Grey.

8-3/4"H (5U) UTILITY DRAWER W/LOCK



MODEL#	INSIDE DIMENSIONS	WEIGHT
85321 PEARL GREY	8-3/4"H x 16"W x 19"D (222 x 406 x 483mm)	17 LBS.
88321 BLACK	8-3/4"H x 16"W x 19"D (222 x 406 x 483mm)	17 LBS.

Rack mountable pullout drawer with lock for valuables, power cords, connectors or tools. Pearl Grey or Black.

12-1/4"H (7U) FILE DRAWER W/LOCK - BLACK



11-1/2"H x 12-3/16"W x 16-3/4"D (292 x 310 x 425mm) 23 LBS. 88324

Rack mountable letter/legal size file drawer w/side pocket.



LIFT-OFF LOCKING DOORS

PLEXI-88354

MODEL#	RACK SIZE	OVERALL HEIGHT	WEIGHT
85342 PEARL GREY	19-1/4" (11U) Steel	20-5/8" (524mm)	9 LBS.
92342 BLACK	19-1/4" (11U) Steel	20-5/8" (524mm)	9 LBS.
85344 PEARL GREY	24-1/2" (14U) Steel	26-5/8" (676mm)	11 LBS.
92344 BLACK	24-1/2" (14U) Steel	26-5/8" (676mm)	11 LBS.
88354 BLACK	24-1/2" (14U) Plexiglas®	26-5/8" (676mm)	16 LBS.

All doors are $21-1/16"W\ x\ 1-7/8"D\ (535\ x\ 48mm)$. Doors can be installed or removed easily without removing existing electronics. When installed, steel doors allow 1-3/4" (44mm) clearance for electronics. Plexiglas doors allow 1-1/2" (38mm) clearance.

CASTERS - SET OF FOUR



MODEL#	SIZE	WEIGHT
85782	2-1/2" Plate Casters	4 LBS.

Set of four heavy-duty plate casters allows you to maneuver your console and perform routine maintenance on your equipment. Hardened ball bearing swivel construction provides easy action and long life.

MONITOR BEZELS



Black 1/8" plastic monitor bezel. Uses 19-1/4" (11U) or 21" (12U) of rack space. Use with optional stationary shelf (Model 86088) to support monitor.

MODEL#	SIZE	CUTOUT SIZE	WEIGHT
10989 BLACK	19-1/4" (11U)	19"W x 19-1/4"H (483 x 489mm)	1 LB.
10995 BLACK	21" (12U)	19"W x 21"H (483 x 533mm)	1 LB.

Use a utility knife to cut opening to size. (As shown in photo above.)

RACK MOUNT BRACKETS WITH CLIPS



MODEL#	DESCRIPTION	WEIGHT
G8130	Same as the punched rack rails but only one mounting hole. 12 per pack.	2 LBS.

Equipment cabinets must have removable front rack rails. Optional rack mount clips with captive nut provide rack mount holes exactly where you need them while keeping a clean cabinet line whenever full length rack rails are not needed.

RACK MOUNT POWER PANELS - BLACK



MODEL#	DESCRIPTION	AMP	CORD LENGTH	WEIGHT	
98703	Six-Outlet	15	15' (4.5M)	4 LBS.	
Six-outlet - 2 front, 4 back. 15 amp circuit breaker with on/off switch.					
98708	D8 Eight-Outlet 15 15' (4.5M) 4		4 LBS.		
Eight-outlet. Outlets rotated 90° to accept multiple transformer plugs.					
98709	Eight-Outlet	15	15' (4.5M)	4 LBS.	
98714	Twelve-Outlet	15	15' (4.5M)	6 LBS.	
Rack mount power panels with surge suppressor.					

THERMOSTAT CONTROL



MODEL#	ТҮРЕ	WEIGHT
10670	DMS 1141	1 LB.

For inline applications. Set between $32^\circ-140^\circ$ F (0°-60°C) and the fan(s) will run until the set temperature is reached. Mounts using the supplied DIN rail.

COOLING FAN - WITH 5' CORD & PLUG



MODEL#	VOLTS	DECIBELS	CFM	WEIGHT
10705	115	43	105	2 LBS.
10724	220	43	105	2 LBS.
10725	115	30	55	2 LBS.

Easily mounts to vent pattern on side panels and doors.

MAGNETIC VENT COVER

	MODEL#	TYPE	WEIGHT
•	10740	6" x 6" (152 x 152mm)	.5 LBS.
		panel to cover side panel or door v tive air flow is needed from botton	

RACK MOUNTABLE CABINET FANS - PEARL GREY

-	MODEL#	VOLTS	DECIBELS	CFM	WEIGHT
289	G8584	3	55	315	13 LBS.
900	G8585	6	64	630	16 LBS.
	G8586	9	73	945	20 LBS.

Each fan is rated at 105 CFM. Cabinet assembly comes standard with a pre-wired five foot power cord. Textured Pearl Grey finish. Uses 1-3/4" (1U) rack space. Mounts to any 19"W EIA rack. 220 Volt available, contact Winsted.

FAN FILTER ASSEMBLY



MODEL#	ТҮРЕ	WEIGHT
10720	Filter with finger guard	.5 LB.

Washable filter covers cooling fans and cleans particles from air before entering cabinet. Black plastic guard.

RACK MOUNT TWIN BLOWER - DUAL FANS



	MODEL#	FANS	DECIBELS	CFM	WEIGHT
į	10716	2	58.5	300	15 LBS.
	Caniminas	النسم اممه	عاماه ماه میب مراه است		l a Abraa

Stainless steel grill with a washable filter and a three foot 3-wire cord. Uses 5-1/4" (3U) rack space. Note: Do not mount behind door.

VENTED BLANK PANEL - PEARL GREY



MODEL#	DESCRIPTION	WEIGHT
49152	Two 1-3/8"H x 3-7/8"W (35 x 98mm) cord holes. Uses 5-1/4" (3U) of rack space.	2 LBS.

This vented blank panel offers two large cord access holes with plastic grommets and a center vent for air circulation. A Pearl Grey powder coat finish provides durability for extended use without affecting the appearance. An added feature is the ability to mount Cooling Fans for additional air flow.

RACK MOUNTABLE COOLING FANS - PEARL GREY



MODEL#	DESCRIPTION	WEIGHT	
G8591	Single cooling fan. Uses 5-1/4"(3U) of rack space.	3 LBS.	
Comes complete with 5-1/4" rack mount vented panel, one 105 CFM cooling			

fan, five foot electrical cord with plug, metal grill grate for finger protection and two 6" square magnetic vent covers.

G8592	Dual cooling fans.	4 LBS.	
Same as a	oove, except two 105 CFM fans and one 6" square magnetic	vent cover.	
G8593	Triple cooling fans.	5 LBS.	
Same as a	Same as above, except three 105 CFM fans.		
G8597 Single cooling fan. Same as above, except one 55 CFM fan.		3 LBS.	
G8598	G8598 Dual cooling fans. Same as above, except two 55 CFM fans.		
G8599 Triple cooling fans. Same as above, except three 55 CFM fans.		5 LBS.	

19" WIDE EIA BLANK PANELS



MODEL# PEARL GREY	MODEL# BLACK	HEIGHT	RACK UNIT	WEIGHT
85140	99140	1-3/4" (44mm)	(1U)	1 LB.
85141	99141	3-1/2" (89mm)	(2U)	1 LB.
85142	99142	5-1/4" (133mm)	(3U)	2 LBS.
85143	99143	7" (178mm)	(4U)	3 LBS.
85144	99144	8-3/4" (222mm)	(5U)	3 LBS.
85145	99145	10-1/2" (267mm)	(6U)	4 LBS.
85146	99146	12-1/4" (311mm)	(7U)	4 LBS.
85147	99147	14" (356mm)	(8U)	6 LBS.
85148	99148	15-3/4" (400mm)	(9U)	7 LBS.
85149	99149	19-1/4" (489mm)	(11U)	8 LBS.
85152	99152	24-1/2" (622mm)	(14U)	10 LBS.

Our 16 gauge steel blank panels are flanged for extra strength. They are finished attractively in textured powder coat paint. All sizes are available in Pearl Grey or Black. Just choose the appropriate size blank panel to provide the perfect finishing touch for all of your installations.

PANEL PILOT SCREWS WITH WASHER & CAPTIVE NUTS







MODEL# QUANITY		COLOR	WEIGHT	
G8051	50 each per pack	Silver	.5 LB.	
G8054	50 each per pack	Black	.75 LB.	
G8101	100 each per pack	Silver	1 LB.	
G8104	100 each per pack	Black	1.5 LBS.	
G8056 Security Screws	50 each per pack	Black	1 LB.	

Pilot screws make it easy to install your electronics.

STATIC FLAT SCREEN MOUNTING BRACKET - BLACK



MODEL#	DESCRIPTION	WEIGHT
92186	Up to 19" (483mm) Flat Screen with VESA mount. Maximum LCD width 17-3/8" (441mm) 5-1/4"H (3U)	4 LBS.

Detachable mounting bracket makes installation quick and easy.

19"W BEEHIVE VENTED BLANK PANELS - BLACK



MODEL# HEIGHT		RACK UNIT	WEIGHT		
86140	1-3/4" (44mm)	(1U)	.5 LB.		
86141	3-1/2" (89mm)	(2U)	.75 LB.		
86142 5-1/4" (133mm)		(3U)	1 LB.		
86143 7" (178mm)		(4U)	1.5 LBS.		
86144 8-3/4" (222mm)		(5U)	2 LBS.		
86149 19-1/4" (489mm)		(11U)	4 LBS.		
86151	21" (533mm)	(12U)	4 LBS.		

Our vented blank panels are available in a variety of sizes and are made from black anodized aluminum. They are flanged for durability and the honeycomb construction provides added ventilation for a variety of rack systems.

BLANK PANEL FILLER KITS WITH BOLTS & CLIPS

KIT	MODEL#	RACK SIZE	COLOR	WEIGHT
1	G8001	4 ea. (1U), 2 ea. (2U), 1 ea. (3U), 1 pk. G8054 Screws & Clips	Pearl Grey	10 LBS.
	G9101	4 ea. (1U), 2 ea. (2U), 1 ea. (3U), 1 pk. G8054 Screws & Clips	Black	10 LBS.
2	G8002	4 ea. (1U), 2 ea. (2U), 1 ea. (9U), 1 pk. G8054 Screws & Clips	Pearl Grey	15 LBS.
	G9102	4 ea. (1U), 2 ea. (2U), 1 ea. (9U), 1 pk. G8054 Screws & Clips	Black	15 LBS.
3 G8003		4 ea. (1U), 2 ea. (2U), 1 ea. (11U), 1 pk. G8054 Screws & Clips	Pearl Grey	16 LBS.
	G9103	4 ea. (1U), 2 ea. (2U), 1 ea. (11U), 1 pk. G8054 Screws & Clips	Black	16 LBS.

BLACK RACK RAIL TRIM



MODEL #	DIMENSIONS	WEIGHT
MODEL#	DIMENSIONS	WEIGHT
85744	Sold in 1 ft. increments	.5 LB.

Made of flexible PVC with internal metal clips to provide a permanent grip. Trim has a fine pebble finish to dress up your installation. Use to cover unused rack rail holes. Trim can be cut to size with a scissors.

LCD MONITOR RACK KIT - BLACK





-	F8153		100	
MODEL#	DIMENSIONS			WEIGHT
F8153	19-1/16"W x 5-1/	/4" (3U)H (484 x 133mm))	5 LBS.

Flat Screen Mounting Kit that allows larger LCDs to be mounted in front of the rack face. Black Finish.



CUSTOM WOOD FURNITURE

We specialize in consoles but we offer so much more! In 2011 Winsted launched a new Custom Wood Division to design and manufacture wood products for today's demanding control room environments. In forming the new division we added a state-of-the-art production facility as well as many skilled craftsmen with years of woodworking experience.

Moving beyond the control room, we also provide custom technical furniture solutions for other technology-heavy spaces. Our 50 years of control room experience puts us in a unique position to manage the technical complexities and the human factors necessary to create a world class environment. We can compliment your control room with the following:

- Reception Desks
- Lobby Consoles
- Conference Room Tables
- Operator Pods
- File Cabinets
- Custom Cabinetry

- Credenzas
- Collaboration Tables
- Technology Tables
- Podiums
- Bookcases
- Workstations











JOIN THE TEAM

Allow your operators to work as a team while giving them some privacy and their own sense of space. An extra-large work surface provides the operators with a spacious, comfortable area to work. Custom configurations are available with a wide variety of colors and materials.









CUSTOM PODIUMS

Built to your specifications, our custom podiums are ideal for any briefing room, training room or meeting room. Functional and attractive, they are available in a variety of colors and finishes.

TWO-DRAWER FILE CABINET DESCRIPTION Letter Sized File Cabinet. Custom Colors Available.



	BOOKCASE	
MODEL#	DESCRIPTION	
15580	36" Wide Bookshelf. Custom Colors and Sizes Available.	
Overall Dimensions: 48"H x 36"W x 13"D (1219 x 914 x 330mm).		

Overall Dimensions: 31"H x 18-1/4"W x 20"D (787 x 464 x 508mm).

15500



SINGLE-FILE CREDENZA WITH STORAGE			
MODEL#	DESCRIPTION	TOP SURFACE	
M1505	Single-File Credenza with Storage	Corian	
M1504	Single-File Credenza with Storage	Comfort Edge	
M1503	Single-File Credenza with Storage	Endurance Plus	
M1502	Single-File Credenza with Storage	Laminate	
M1501 Single-File Credenza with Storage Marmoleum			
Overall Dimensions: 30-3/4"H x 72"W x 20"D (781 x 1829 x 508mm).			



BOOKSHELF CREDENZA WITH STORAGE			
MODEL#	DESCRIPTION	TOP SURFACE	
M1515	Bookshelf Credenza with Storage	Corian	
M1514	Bookshelf Credenza with Storage	Comfort Edge	
M1513	Bookshelf Credenza with Storage	Endurance Plus	
M1512	Bookshelf Credenza with Storage	Laminate	
M1511 Bookshelf Credenza with Storage Marmoleum			
Overall Dimensions: 30-3/4"H x 72"W x 20"D (781 x 1829 x 508mm).			




DUAL-FILE CREDENZA WITH STORAGE			
MODEL#	DESCRIPTION	TOP SURFACE	
M1525	Dual-File Credenza with Storage	Corian	
M1524	Dual-File Credenza with Storage	Comfort Edge	
M1523	Dual-File Credenza with Storage	Endurance Plus	
M1522	Dual-File Credenza with Storage	Laminate	
M1521 Dual-File Credenza with Storage Marmoleum			
Overall Dimensions: 30-3/4"H x 72"W x 20"D (781 x 1829 x 508mm).			






FROM CONCEPT > TO REALITY


Winsted Custom Division combines the disciplines of industrial design, human factors and interior design to create workspaces that are both efficient and beautiful. We carefully consider the ergonomic requirements of your operators to design technical furniture that facilitates the complex interactions between personnel, technology and the environment. From the layout of the room, to determining the precise placement of every keyboard, monitor and telephone, not a single detail is left to chance.



Design plan is created based on customer requirements and room measurements.




Winsted designers provide a unique design that is tailored to the project at hand.



Winsted experts ensure that the design meets ergonomic and functional requirements.



Winsted provides renderings of the furniture in the room and presents the design to the customer for approval.



Engineering prepares the design for manufacturing.




Consoles are fabricated in U.S.A. facilities



Consoles are dry fitted before being packaged to ship.




Consoles are shipped and installed by qualified professionals.





















TAKING CARE OF THE HUMAN FACTOR

No matter what the application, the ideal control room will have a great looking, durable, highly functional console. The operators will do their job without eyestrain, feeling cramped or reaching too far for the controls.



PLASTIC WIRE DUCT


MODEL#	SIZE	COLOR	WEIGHT
42750	4"H x 2"W x 72"L (102 x 51 x 1829mm)	Black	2 LBS.
42752	2"H x 4"W x 78"L (51 x 102 x 1981mm)	Black	3 LBS.
42755	4"H x 4"W x 72"L (102 x 102 x 1829mm)	Black	4 LBS.
42757	2"H x 2"W x 78"L (51 x 51 x 1981mm)	Black	2 LBS.
All wire ducts are slotted and come complete with cover except 42750.			
42756	1-1/2"H x 1-1/2"W x 72"L (38 x 38 x 1829mm)	Black	2 LBS.

42756 has solid walls and comes complete with cover.

| MODEL# | SIZE | WEIGHT | 47084 | WEIGHT | 46250 | 22"W x 9"D (559 x 229mm) - pulls out 12" (305mm) | 9 LBS. | Mounts to the underside of any flat desk top. Outside dimension measures 23-3/4"W (603mm). | 47084 | 24"W x 10"D (610 x 254mm) | 11 LBS. |

Features 20° tilt and 9" (229mm) height adjustment. Shelf swivels 180° and stores under the work surface. Mounts to the underside of any flat desk top. Padded wrist support. Black enamel finish.

PC TOWER SUPPORT WELL MODEL# SIZE WEIGHT 46258 22"H x 11"W x 18"D 18 LBS. (559 x 279 x 457mm) Mounts with wood screws. Black enamel finish.



THREE DRAWER FILE CABINET - BLACK




MODEL#	DIMENSIONS	WEIGHT
10765	27"H x 15"W x 17-1/2"D (686 x 381 x 445mm)	70 LBS.
10767	27"H x 15"W x 20-7/8"D (686 x 381 x 530mm)	73 LBS.

Compact cabinet fits neatly under a work surface for storage of files in the bottom drawer. Middle drawer is perfect for items that are 4" high and top drawer works well for paper, pens and pencils. Plastic sliding pencil tray comes with cabinet.

MODEL# DIMENSIONS WEIGHT 56679 LED light with magnetic base and 18" (457mm) flexible neck 10679 LED light with VESA mount and 18" (457mm) flexible neck Features a 6-foot cord and allows users to switch between a white & red light.

MASTER KEY				
€R	MODEL#	DIMENSIONS	WEIGHT	
	85743	MK-500 Master Key	.5 LB.	
	Single key	to open your locking d	oors.	







SECTIONAL WALL MOUNT CABINETS - BLACK





MODEL#	RACK HEIGHT	OVERALL DIMENSIONS	WEIGHT
97020	15-3/4"H (9U)	19"H x 21"W x 22-1/4"D (483 x 533 x 565mm)	61 LBS.
97026	28"H (16U)	31-1/4"H x 21"W x 22-1/4"D (794 x 533 x 565mm)	85 LBS.

Made from heavy-gauge steel with 10-32 tapped front rack rails, louvered sides and 270° hinges. This symmetrical cabinet hinges either left or right. Key locking front door. Cabinet section depths: 4-1/2"D (114mm) rear, 16"D (406mm) center, 1-3/4"D (44mm) front. Maximum wt. load 100 lbs.

SECURITY CABINET W/HINGED DOOR - BLACK





MODEL#	OVERALL DIMENSIONS	WEIGHT
96030	9-1/2"H x 19-1/2"W x 23"D (241 x 495 x 584mm)	28 LBS.

Heavy-duty locking cabinet for DVR/VTR and controllers, comes with rear cord access slot and vent holes for 10705 cooling fan.

DESIGN SERVICE

24-1/2" LOCKING SECURITY CABINET - BLACK



Cabinet sits on desk or wall mount, front door is 1-1/4" deep for electronic clearance and symmetrical for left- or right-hand mounting. 19" depth from front rack rail to inside back. NEMA electrical knockouts.

ROLL-UP RACK 19-1/4" (11U) CABINET



MODEL#	DESCRIPTION	WEIGHT
E4741	25"H x 24"W x 24"D (635 x 610 x 610mm)	64 LBS.

Includes 2" (51mm) swivel carpet casters. Black Graphite Nebula laminate top and black side panels with black welded steel frame. 19" EIA Equipment Rack.

WALL MOUNT MONITOR SHELVES



MODEL#	OVERALL DIMENSIONS	WEIGHT
11081	17"W x 18"D (432 x 457 mm) with 1/2"H (13mm) front retainer lip	10 LBS.

 $16^{\prime\prime}$ centers for wall mounting along with adjustable tilting tray for better viewing angle. 5/16" x 1-1/2" (8 x 38mm) long slots for 96"L (2.4m) monitor safety strap (included). Pearl Grey Finish.

11093	10"H x 18"W x 17"D (254 x 457 x 432mm)	19 LBS.
-------	--	---------

Supports both electronics on one shelf. Opening size: 5-5/8"H x 17-7/8"W (143x 454mm). 16-gauge steel. Maximum weight 80 lbs. 16" Center wall mounting. Black Finish.

DESKTOP POWER GROMMET





10660	4-3/8" Outer Ring with 4.21" Hole Cut Size	1 LB.
Easily con	verts any desk, table or work surface into a ready-to-acce	ess power
center Sir	nnly rotate the grommet with it's easy 180° rotation system	m and the

- grommet is ready to use.3 Grounded power outlets
- 2 Cat 5 ethernet connections
- 8 ft. Power cord





SINGLE CABINET GRAPHICS DESK								
MODEL#	ŀ	HEIGHT	WIDTH	1	DEPTH			
E4727	29" (737mm)		60" (1524mm)		30" (762mm)			
COLOR		ACCENT	COLOR	WEIGHT				
BLACK		OPTIC (BLUE S	ONAL HOWN)	201 LBS.				
Black Granhite Nebula laminate ton with black contour trim edging								

Black Graphite Nebula laminate top with black contour trim edging Black rack cabinet offers 24-1/2" (14U) of rack space. Rack cabinet can be positioned for either left for right hand operations.

INDEX													
MODEL#	PAGE#												
10220	63	53157	73	85782	81	90116	62	B3025	8	G8002	83	M1521	91
10660	103	53273	73	86071	80	90118	62	B3027	8	G8003	83	M1522	91
10670	82	53280	73	86073	80	90122	62	B3033	8	G8051	83	M1523	91
10679	24	53282	73	86088	80	90126	62	B3035	8	G8054	83	M1524	91
10684	102	53284	73	86090	80	90129	62	B3037	8	G8056	83	M1525	91
10705	82	53302	73	86140	83	90132	62	B3043	8	G8060	63	V4211	64
10709	11	53304	73	86141	83	90136	62	B3045	8	G8101	83	V4221	64
10710	102	55233	79	86142	83	90138	62	B3047	8	G8104	83	V8801	60
10712	102	56029	26	86143	83	90262	62	B3054	10	G8130	81	V8805	60
10713	102	56030	24	86144	83	90266	62	B3055	10	G8584	82	V8806 V8807	60
10716	82	56032	24	86149	83	90267	63	B3061	9	G8585	82	V8807 V8811	60 60
10720	82	56036	24	86151 86227	83 79	90269 90270	62 62	B3062 B3063	9	G8586 G8591	82 82	V9020	61
10724 10725	82 82	56087 56088	24 24	86242	80	90270	63	B3064	9	G8592	82	V9020 V9021	61
10723	82	56165	24	86243	80	90271	63	B4302	40	G8593	82	W5630	24
10740	26	56220	25	86585	79	90312	62	B4304	40	G8597	82	W5631	24
10765	26	56250	25	87099	79	90316	62	B4306	40	G8598	82	W5642	24
10767	26	56264	25	87240	80	90318	62	B4312	40	G8599	82	W5650	25
10800	62	56265	25	88088	80	90322	62	B4314	40	G9085	61	W5654	24
10814	62	56266	73	88090	80	90326	62	B4316	40	G9101	83	W5655	24
10989	81	56566	25	88091	80	90328	62	B4324	40	G9102	83	W5660	24
10995	81	56568	25	88093	80	90332	62	B4350	41	G9103	83	W5661	24
11081	103	56569	25	88094	79	90336	62	B4351	41	G9939	103	W5671	22
11093	103	56570	25	88095	80	90338	62	B4352	41	J8208	78	W5672	22
11104	57	56679	24	88096	80	90661	63	B4353	41	J8209	78	W5673	22
11745	104	56981	24	88217	63	90662	63	E4727	104	J8210	78	W5690	22
11760	104	58160	23	88218	63	90663	63	E4741	51	J8211	78	W5691	22
11762	104	58161	23	88220	63	90664	63	E4853	60	J8252	78	W5692	22
11766	104	58162	23	88226	63	92186	72	E4854	48	J8253	78	W5693	22
11769	104	58171	23	88240	63	92342	81	E4858	48	J8540	78	W5696	22
12765	64	58174	23	88300	60	92344	81	E4859	48	J8648	78	W5697	22
15500	91	58176	23	88301	60	96030	103	E4860	70	M1020	57	W5698	22
15580	91	64032	24	88303	60	96300	81	E4862	49	M1021	57	W5701	20
30031	10	64072	26	88310	60	97004	103	E4863	49	M1022	57	W5721	20
30171	10	64074	26	88311	60	97020	103	E4864	48	M1023	57	W5737	21
30174	10	64076	26	88313	60	97026	103	E4869 E4870	49 49	M1030 M1032	57 57	W5738 W5781	21 26
30176 30701	10 11	64100 64264	26 25	88321 88323	81 81	97091 98703	80 82	E4870	49	M1032	57 57	W5830	20
42750	102	85140	83	88324	81	98708	82	E4876	50	M11004	56	W5831	20
42752	102	85140	83	88354	81	98709	82	E4877	50	M1100	56	W5900	25
42755	102	85142	83	88397	79	98714	82	E4878	50	M1102	56	W6407	21
42756	102	85143	83	88398	79	99140	83	E4879	50	M1104	56	W6408	21
42757	102	85144	83	90012	61	99141	83	E4880	51	M1108	56	W6430	24
43009	42	85145	83	90016	61	99142	83	E4882	51	M1121	56	W6431	24
46250	102	85146	83	90018	61	99143	83	E4884	50	M1123	56	W6469	25
46258	102	85147	83	90022	61	99144	83	E4885	50	M1125	56	W6471	22
46260	11	85148	83	90026	61	99145	83	E4899	50	M1127	56	W6472	22
47084	102	85149	83	90028	61	99146	83	F8153	72	M1129	56	W6473	22
48212	50	85152	83	90032	61	99147	83	F8154	72	M1501	91	W6491	22
48214	50	85154	80	90036	61	99148	83	G5301	71	M1502	91	W6492	22
48216	50	85157	80	90038	61	99149	83	G5302	70	M1503	91	W6493	22
48523	50	85238	79	90051	62	99152	83	G5305	71	M1504	91	W6496	22
48524	50	85276	63	90053	62	99484	64	G5306	71	M1505	91	W6497	22
49152	82	85321	81	90055	62	99488	64	G5360	71	M1511	91	W6500	25
51238	57	85342	81	90072	61	B3013	8	G5370	70	M1512	91	W9901	8
51239	57	85344	81	90076	61	B3015	8	G5372	70	M1513	91		
51710	25	85743	102	90078	61	B3017	8	G5373	70	M1514	91		
53081	72	85744	83	90112	62	B3023	8	G8001	83	M1515	91		

AT YOUR SERVICE! FROM CONCEPT TO INSTALLATION



FREE ON-SITE CONSULTATION

We understand that every installation is unique and we can gather valuable information by visiting the actual site. We are committed to getting it right the first time and, at no charge, we will travel to your location to take measurements, do a site survey and consult with the appropriate parties.



FREE PROJECT SUPPORT

Winsted is a true project partner and we pride ourselves on going above and beyond. What can we do to help you win the job? We can provide Building Information Modeling (BIM) files for Revit®, full CAD drawings in multiple views, photo-quality color renderings of the console design and even animated "walk-through" videos of the proposed installation.



FREE DESIGN SERVICE

We go to great lengths to understand your needs and the objectives of the project. Our experienced design department will design your console to be ergonomically correct and to support the associated electronics and equipment. Once the design is final we will provide you with a complete design and specification package ready for presentation.



WORLD CLASS CUSTOMER SERVICE

Our goal is to provide the best customer service in the industry; it is what our success is built on. Your satisfaction is guaranteed. Our experienced and knowledgeable customer service staff is ready to respond before, during and after the sale. We also stand by our products, which is why most of them carry a lifetime warranty. See **page 65** for Winsted's Warranty.



DOWNLOAD OUR FREE CONSOLE DESIGN SOFTWARE AT:

WINSTED.COM/WELS

WELS is a Winsted-exclusive software tool that makes console design fast, easy, accurate and fun! This interactive, user friendly 3D program lets you quickly create custom solutions for your technical furniture needs. WELS is easy to use - and requires no additional design/CAD software to operate.



FEATURES

REQUIREMENTS

- · Uses Winsted's Many Product Families.
- · Design in 3D.

WELS DRAWING

- · Automatic Overall Dimensioning.
- Export Designs in DWG, DXF, and JPEG Formats.
- Generate Parts Lists and Design Specification Sheets.
- Place Consoles Anywhere in the Room.
- Personalize Designs with Equipment & Accessories.
- · Requires No Additional Software.
- View Designs from Any Angle Including Ground Level, Isometric, and Top View.

OPERATING SYSTEM:

- Microsoft Windows XP
- Microsoft Windows VISTA
- Microsoft Windows 7
- Microsoft Windows 8







WINSTED HEADQUARTERS

10901 HAMPSHIRE AVE. S. MINNEAPOLIS, MN 55438-2385 USA

CUSTOMER #

DEPT. CODE



HELP STOP WASTEFUL DUPLICATE MAILINGS

If you receive duplicates of the same brochure with different customer numbers, please send us the labels. Indicate the correct label and we will update our records. Thanks for your help.

FOR THE WINSTED DEALER NEAREST YOU Call 1-800-447-2257 Or Fax 1-800-421-3839



















WINSTED WORLD HEADQUARTERS

10901 Hampshire Avenue South Minneapolis, MN 55438-2385 USA Tel: 1-800-447-2257 or 952-944-9050 Fax: 1-800-421-3839 or 952-944-1546 info@winsted.com winsted.com

WINSTED CUSTOM DIVISION

1750 Breckinridge Pkwy, Suite 100 Duluth, GA 30096-7576 USA Tel: 1-800-237-5606 or 770-840-0880 Fax: 770-840-9685 custom@winsted.com winstedcustom.com

WINSTED EUROPE • MIDDLE EAST

Units 7-8, Lovett Road Hampton Lovett Industrial Estate Droitwich, Worcester, England WR9 0QG Tel: 44 (0) 1905 770276 Fax: 44 (0) 1905 779791 info@winsted.co.uk winsted.com